

D30.10.2001/E30.10.2001

BAYGON®

SPRAY CONCENTRATE INSECTICIDE

COMMERCIAL

FOR CONTROL OF HOUSEHOLD INSECTS AND MOSQUITOES

GUARANTEE: Propoxur.....180 g/L

NET CONTENTS LITRES

REGISTRATION NO. 8770
PEST CONTROL PRODUCTS ACT

CAUTION: Do not store below 0°C.
Keep away from direct sunlight,
radiators, stoves, and other heat.

DANGER POISON

KEEP OUT OF REACH OF CHILDREN

(See rear panel for first aid and danger statements)

READ THE LABEL BEFORE USING

BAYER INC.
Agricultural Division, Animal Health
77 Belfield Road
Toronto, Ontario, Canada M9W 1G6

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

DIRECTIONS FOR USE

BAYGON spray concentrate is recommended for use wherever the household insects or mosquitoes listed below are a problem. It provides good flushing action, rapid knockdown, and gives long residual control of cockroaches and mosquitoes, including strains of these insects resistant to certain chlorinated hydrocarbon and organophosphate insecticides. BAYGON mixes readily with water and may be applied with most hand or power-operated sprayers.

CAUTION: Do not use in fiberglass tanks. The spray mixture made from this formulation may loosen paint coatings in metal tanks if allowed to stand for more than a few hours. Clean tanks thoroughly before and after use.

RECOMMENDED APPLICATIONS

INSECT	Dosage BAYGON SC	REMARKS
Ants Cockroaches Earwigs Fleas Millipedes Saw-toothed grain beetle (exposed stage) Ticks	65 mL	Mix specified dosage in 1 Litre of water* (1.1% concentration). Apply as a residual spray or with a paint brush to baseboards, cracks, crevices, and other places where insects may hide. Also apply to adjacent exposed surfaces where insects may crawl when they come out of hiding. To obtain thorough coverage, apply to the point of run-off. Applications may be made to floor surfaces along baseboards and around air ducts, however, do not treat entire area of floors or floor coverings. Do not allow children to contact treated surfaces until surfaces are completely dry. Repeat as necessary. Do not treat food or surfaces on which food may rest. CAUTION: Do not treat plants (lawns, flowering plants, shrubs, trees, etc.) with this concentration.

Flies	65 mL	Mix specified dosage in 1 Litre of water* (1.1% concentration). Apply as a residual spray or with a paint brush to surfaces of buildings, porches, screen doors, window frames, and garages where flies congregate. To obtain thorough coverage, apply to the point of run-off. Repeat as necessary. CAUTION: Do not treat plants (lawns, flowering plants, shrubs, trees, etc.) with this concentration.
Hornets Wasps	65 mL	Mix specified dosage in 1 Litre water* (1.1% concentration). Apply as a coarse droplet spray directly to the nest after dark when all of the insects have returned to the nest. To obtain thorough coverage apply to point of run-off. Repeat as necessary. CAUTION: Do not treat plants (lawns, flowering plants, shrubs, trees, etc.) with this concentration.
Mosquitoes (outdoors)	65 mL	RESIDUAL SPRAY: Mix specific dosage in 1 Litre of water* (1.1% concentration). Apply to outside surfaces of buildings, porches, screen doors, window frames, and garages. To obtain thorough coverage, apply to point of run-off. Repeat as necessary. CAUTION: Do not treat plants (lawns, flowering plants, shrubs, trees, etc.) with this concentration.
	325 to 450 mL	MIST SPRAY: Apply specified dosage (55 to 80 g active) per hectare. For mist-blower machines calibrated to deliver 450 L/ha per hour travelling at a speed of 8 km/hr to cover a swath width of up to 100 m, use 26 to 36 L of BAYGON SC per 450 L of water* to treat 80 ha. Avoid contamination of animal feeding areas, such as pastures and other foraging areas. Do not contaminate water supplies, streams, lakes, or ponds.

Punkies (Culicoides spp.)	250 mL	Mix specified dosage in 1 Litre of water* (4.5% concentration). Apply with a paint brush to outside surfaces of window screens or other screened areas. Thorough coverage is necessary for maximum control. Repeat as necessary. CAUTION: Do not treat plants (lawns, flowering plants, shrubs, trees, etc.) with this concentration.
------------------------------	--------	---

*The use of this material in water at 5EC or below, or with oil, will result in crystallization in the spray tank. Do not allow spray mixture to stand overnight in the spray tank.

MIXING CHART :

Concentration of BAYGON Required	Amount of BAYGON Spray Concentrate to Add to:		
	1 Litre	10 Litres	50 Litres
1.1%	65 mL	650 mL	3.25 L
4.5%	250 mL	2.5 L	12.5 L

LIMITATIONS

Do not apply to rugs, carpets, draperies, wallpaper, or similar material that may be stained or watermarked.

Do not use as a space spray.

Do not apply to animals or humans. Toxic to bees.

Do not treat plants directly.

PRECAUTIONS

DANGER

KEEP OUT OF REACH OF CHILDREN.

May be harmful if swallowed. Avoid inhalation or skin contact. Wash thoroughly after using. Do not contaminate feed of food.

FIRST AID

In case of poisoning call a physician immediately. Have patient lie down and keep quiet. **If swallowed**, vomiting should be induced. Administer water freely and induce vomiting by giving one dose (15 mL) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer

second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. The patient should be lying down with the head below foot level and facing down or to one side. Professional medical assistance should be secured immediately. **DO NOT INDUCE VOMITING TO AN UNCONSCIOUS PERSON OR TO PERSONS IN A CONVULSIVE STATE.** If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. **If eyes are contaminated,** wash immediately with flowing water for at least 15 minutes.

TOXICOLOGICAL INFORMATION: Propoxur inhibits cholinesterase resulting in stimulation of the central nervous system. This results in a sense of "tightness" in the chest, sweating, contracted pupils, stomach pains, vomiting and diarrhea. The antidote is atropine administered in large therapeutic doses repeated as necessary to the point of tolerance. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

DISPOSAL

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

@BAYGON is a registered trademark of Bayer AG., used under licence by Bayer Inc.

Printed in U.S.A.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))