

97.02.07

SANEX

BROMONE DURA-BLOCK

THE WEATHER RESISTANT RODENTICIDE BLOCK

FOR THE CONTROL OF NORWAY RAT (RATTUS NORVEGICUS) AND ROOF RAT  
(RATTUS RATTUS) IN HIGH MOISTURE AREAS

NET CONTENTS: 9 kg

GUARANTEE:  
BROMADIOLONE 0.005%

COMMERCIAL

KEEP OUT OF REACH OF CHILDREN

REGISTRATION NUMBER 17359

PEST CONTROL PRODUCTS ACT

WARNING POISON

SANEX AGRO INC.  
36 Head Street  
Dundas, Ontario  
L9H 3H3

SANEX "BROMONE DURA-BLOCK" is a weather proof formulation which can be used in high moisture areas, such as sanitary and storm sewers as well as other outdoor uses where weather proof baits are required. There is not bait shyness, prebaiting is not required.

DIRECTIONS:

For control in Sanitary and combination Sanitary and Storm

Sewers, secure a rodent BLOCK to one end of wire and attach other end of wire to bottom step of manhole ladder, allowing just enough wire for BAIT BLOCKS to rest on manhole benching. In sewers with no benching at manholes, secure DURA-BLOCK to one end of wire and the other end of wire to manhole ladder keeping BAIT above water level. A board may be placed across sewer resting on opposite steps and DURA-BLOCK ( secured to manhole ladder by wire) can be placed on board for the rodents to feed on.

FOR CONTROL IN STORM SEWERS: DURA-BLOCK can be suspended from sewer grating with wire attached to the grate so that the DURA-BLOCK remains a few inches above normal water level.

NOTE: In all installations, DURA-BLOCK should be secure with wire so that they are not carried or floated away. Where rat infestation are extremely heavy, use 2 or more DURA-BLOCKS in each manhole.

#### OTHER OUTDOOR USES:

Along drainage ditches, sewage lagoons, dumps, landfill sites, and areas where rat are a problem, place rodent blocks into the rat burrows ensuring that they are secured with tie wire to a stake well planted in the ground. Care should be taken to ensure that the bait blocks are protected from accidental access to other animals or humans.

Keep baited areas well supplied. Continuous feeding from 5 to 14 days should give control. Bait should be available to rodents until complete lack of feeding is noticed. Never allow the baited sewers to remain empty for over 48 hours.

#### PRECAUTIONS:

KEEP OUT OF THE REACH OF CHILDREN, DOMESTIC ANIMALS AND PETS. Keep away from feed or foodstuffs. Harmful if swallowed or absorbed through the skin. This product should be handled with gloves. Do not get in eyes, on skin, or on clothing. Wash arms, hands and face with soap and water after handling and before eating or smoking. Place bait in locations protected, at the time of application, from access by children, pets, livestock and wildlife, preferably by using Sanex bait stations or tamper-resistant boxes. This product is toxic to fish and wildlife. The use of anticoagulant formulations can present a significant hazard to predatory mammals and birds through secondary poisoning. Do not contaminate water by cleaning of

equipment or disposal of wastes. Keep out of lakes, streams or ponds.

FIRST AID: If in eyes, flush with plenty of water for 15 minutes. If on skin, wash thoroughly with soap and water. If swallowed, give patient one or two glasses of water and induce vomiting by touching back of the throat with a finger or blunt object. Repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person. Contact a physician or Poison Control Centre immediately.

#### TOXICOLOGICAL INFORMATION:

If swallowed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. Vitamin K1 in the form of intravenous, intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case, measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

#### DISPOSAL:

Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

Rodent Disposal: Dispose of dead rodents in garbage or by burying.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

#### NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and

accepts the product on that condition.

(R) Registered trademark of Sanex Agro Inc.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+) )