

2006-7490 05-NOV-2007

18-DEC-2007 Notification - Change in Registrant Address

14-FEB-2008 Notification - Change in Registrant Name

WEEDEX Ready To Spray Herbicide II

DOMESTIC

GUARANTEE:

2,4-D	95 g a.e./L
Mecoprop-P	50 g a.e./L
Dicamba	9 g a.e./L

(All present as dimethylamine salts)

REG. No. 28210 P.C.P. ACT.

READ THE LABEL BEFORE USING.

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 1 L

~~Virterra Products Corporation~~

~~RR#7, Site 11, Box 16~~

~~Calgary, AB T2P 2G7~~

(403) 285-0500

Teragro Inc.

P.O. Box 137

Chestermere AB T1X 1K8

Notification Change

PROTECTIVE CLOTHING: Wear long-sleeved shirt, long pants, socks, shoes and chemical-resistant (e.g. rubber) gloves.

APPLICATION FREQUENCY: DO NOT apply more than two broadcast applications per season. This does not include spot treatments. If weed populations DO NOT warrant a broadcast application (e.g. entire lawn), consider spot treatments that target only weedy areas.

RE-ENTRY INTERVAL: Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried.

OPERATOR USE PRECAUTIONS: Rinse gloves before removal. Wash hands before eating, drinking, using tobacco or using the toilet. If pesticide penetrates clothing, remove immediately; then wash thoroughly and put on clean clothing. Remove clothing, launder separately before reuse, and promptly, and thoroughly wash hands and exposed skin with soap and water, then shower. Reuse gloves for pesticide application only.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not apply to newly seeded lawns until after third mowing. Avoid contacting skin, eyes, and clothing. Do not store near seed, fertilizers, insecticides, or fungicides. Keep from freezing. DO NOT apply to any body of water. DO NOT contaminate irrigation/drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

WEEDS CONTROLLED: Dandelion, Plantain, Chickweed, Clover, Bedstraw, Black Medick (Yellow Clover), English Daisy, Curled Dock, Heal-All, Ground Ivy (Creeping Charlie), Knotweed, Ragweed, Shepherd's-Purse, Poison Ivy, Devil's Paint Brush and Buttercup.

NOTE: 1 (square meter) m² = approx 10 (square feet) ft²

DIRECTIONS FOR USE: Apply Weedex Ready to Spray Herbicide II using the hose-end applicator attached. 1 litre will treat 800 square metres (8,800 square feet) of lawn area.

READ THE COMPLETE LABEL FOR APPLICATION INSTRUCTIONS AND PRECAUTIONS PRIOR TO USE.

1. Shake container thoroughly, then attach to garden hose.
2. Ensure sprayer is in the "OFF" position. Turn water supply on at the source.
3. To apply product, turn the control valve clockwise to the "MIX" position.
4. For best results, hold sprayer and bottle level, and direct sprayer in a sweeping side-to-side movement. Spray the contents of bottle (1L of product) evenly over 800 m² of lawn.
5. When spraying is complete, turn the control valve to "OFF" position. Turn water off. Disconnect hose from applicator and store product in original container.

Avoid inhaling spray mist. Do not apply during long dry periods. Do not apply when rain is expected or if winds are gusty. Do not use on bent grass. Do not cut grass for several days after application. Do not water within 24 hours of application. Do not use clippings from a freshly sprayed lawn as mulch.

DO NOT APPLY THE SPRAY SOLUTION OR ALLOW SPRAY TO DRIFT ONTO DESIRABLE TREES, SHRUBS, VEGETABLE GARDENS OR FLOWERBEDS.

Apply in late spring or early fall when weeds are growing actively. Repeat applications may be required for some species. This product is only effective when applied to the leaves of actively growing weeds. This product will not prevent new weeds – apply only when weeds are present.

FIRST AID: IF IN EYES, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **IF ON SKIN OR CLOTHING**, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **IF SWALLOWED**, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

ENVIRONMENTAL HAZARDS: Toxic to broadleaf terrestrial plants. This product may harm other broadleaf plants in the vicinity of the treatment area.

LEACHING: To minimize possible contamination of groundwater, the use of spot treatment application is recommended in areas where soils are permeable (e.g. sandy soil) or the water table is shallow.

RUN-OFF: To reduce runoff from treated areas into aquatic habitats, avoid application to areas with a moderate to steep slope, bare soil, compacted soil, or clay. Avoid application of this product when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a strip of untreated vegetation between the treated area and the edge of the water body.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: Wrap empty container in newspaper and dispose of in household garbage. Do not reuse.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.