

03-MAY-2004 Notification received of label changes. See below for these changes.

1995/2000

[[CONTAINER LABEL]]
EXTRAZINE II DF Herbicide

FOR USE IN EASTERN CANADA

AGRICULTURAL

HERBICIDE

Water Dispersible Granule for Selective Weed Control in Corn

NET CONTENTS: 10 kg

GUARANTEE:

cyanazine.....	67.5%
atrazine.....	21.4%
related active triazines.....	1.1%

READ THE LABEL AND PAMPHLET BEFORE USING

KEEP OUT OF REACH OF CHILDREN

CAUTION EYE IRRITANT

REGISTRATION NO.: 23572
PEST CONTROL PRODUCTS ACT

DANGER

POISON

Notification Change

~~DuPont Canada Inc.~~ E.I. DU PONT CANADA COMPANY
 Box 2300, Streetsville,
 Mississauga, Ontario
 L5N 2J4
 1-800-667-3925

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

FIRST AID:

If swallowed: Induce vomiting immediately. This should be done by introducing a finger into the throat. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Keep patient lying down and quiet. Transport the patient immediately to the nearest physician or contact a poison control centre.

Skin contact: If spilled on the skin, remove all contaminated clothing at once. Thoroughly wash skin with soap and water. Contact physician or poison control centre. Wash contaminated clothing separately from household laundry before reuse.

For eyes: If the material gets into the eyes, flush immediately with plenty of water for a least 15 minutes. Contact physician or poison control centre.

CAUTION:

KEEP OUT OF REACH OF CHILDREN. Do not take internally. Harmful or fatal if swallowed. Keep in original container during storage.

- Avoid contact with skin. Wear protective clothing such as coveralls, or a long-sleeved shirt and long pants, and chemical-resistant rubber gloves.
- Change contaminated clothing daily and wash separately from household laundry before reuse.
- Wear a face shield when loading or pouring the product.
- Do not handle product with bare hands. Chemical-resistant gloves significantly reduce hand exposure. It is important to wear gloves for mixing/loading/clean-up operations and when making sprayer and nozzle repairs and adjustments. Do not use leather or cloth gloves.
- Rinse gloves with soap and water before removal and wash hands thoroughly before eating, smoking or drinking.

Do not allow spray or spray mist to contact plants other than those being sprayed. Do not contaminate food or feed products. Do not contaminate streams, lakes, ponds, irrigation water, water used by livestock or water used for domestic purposes.

CAUTION: Do not graze treated immature crop or cut for hay; there are not sufficient data available to support such use. DO NOT APPLY BY AIR.

DECONTAMINATION AND DISPOSAL:

1. Empty bag thoroughly into spray tank.
2. Make the empty bag unsuitable for further use.
3. Dispose of the bag in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product, and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

[[DIRECTIONS FOR USE PAMPHLET]]

EXTRAZINE II DF Herbicide

FOR USE IN EASTERN CANADA ONLY

AGRICULTURAL

HERBICIDE

Water Dispersible Granule for Selective Weed Control in Corn

GUARANTEE:

cyanazine	67.5%
atrazine	21.4%
related active triazines.....	1.1%

READ THE LABEL AND PAMPHLET BEFORE USING

KEEP OUT OF REACH OF CHILDREN

CAUTION EYE IRRITANT

REGISTRATION NO.: 23572
PEST CONTROL PRODUCTS ACT

DANGER POISON

Notification Change

~~DuPont Canada Inc.~~
Box 2300, Streetsville,
Mississauga, Ontario
L5N 2J4
1-800-667-3925

E.I. DU PONT CANADA COMPANY

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

FIRST AID:

If swallowed: Induce vomiting immediately. This should be done by introducing a finger into the throat. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Keep patient lying down and quiet. Transport the patient immediately to the nearest physician or contact a poison control centre.

Skin contact: If spilled on the skin, remove all contaminated clothing at once. Thoroughly wash skin with soap and water. Contact physician or poison control centre. Wash contaminated clothing separately from household laundry before reuse.

For eyes: If the material gets into the eyes, flush immediately with plenty of water for a least 15 minutes. Contact physician or poison control centre.

CAUTION:

KEEP OUT OF REACH OF CHILDREN. Do not take internally. Harmful or fatal if swallowed. Keep in original container during storage.

- Avoid contact with skin. Wear protective clothing such as coveralls, or a long-sleeved shirt and long pants, and chemical-resistant rubber gloves.

- Change contaminated clothing daily and wash separately from household laundry before reuse.
- Wear a face shield when loading or pouring the product.
- Do not handle product with bare hands. Chemical-resistant gloves significantly reduce hand exposure. It is important to wear gloves for mixing/loading/clean-up operations and when making sprayer and nozzle repairs and adjustments. Do not use leather or cloth gloves.
- Rinse gloves with soap and water before removal and wash hands thoroughly before eating, smoking or drinking.

Do not allow spray or spray mist to contact plants other than those being sprayed. Do not contaminate food or feed products. Do not contaminate streams, lakes, ponds, irrigation water, water used by livestock or water used for domestic purposes.

CAUTION: Do not graze treated immature crop or cut for hay; there are not sufficient data available to support such use. DO NOT APPLY BY AIR.

DECONTAMINATION AND DISPOSAL:

1. Empty bag thoroughly into spray tank.
2. Make the empty bag unsuitable for further use.
3. Dispose of the bag in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product, and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

GENERAL INFORMATION:

EXTRAZINE II DF can be applied early post-emergence to control many annual grasses and broadleaf weeds in field and sweet corn.

MIXING AND SPRAYING INSTRUCTIONS:

- Spray pressure- 200-300 kPa
- Spray volume - minimum of 150 litres per hectare. The use of higher water volumes and larger spray tip sizes will generally increase spray deposition, reduce drift and improve weed control.
- Keep bypass line at bottom of tank to minimize foaming.
- Use 16 mesh suction screen, 50 mesh line and tip screens.

- DO NOT use fertilizer solutions as the carrier.
- 1. Fill sprayer 1/2 full of water and engage GENTLE agitation.
- 2. Slowly add the EXTRAZINE II DF and mix thoroughly.
- 3. Fill tank 9/10 full and add BANVEL(R), if applicable, and agitate thoroughly.
- 4. Top off tank with water, maintain agitation and spray.
- 5. Do not let stand without constant gentle agitation.
- 6. Sprayer equipment should be thoroughly flushed with clean water and drained before and after use of EXTRAZINE II DF alone or tank mixed.

SOIL TYPES:

Do not apply to soils with less than 1% or more than 10% organic matter, or on soils containing more than 70% sand.

WEEDS CONTROLLED BY EXTRAZINE II DF:

Grasses:

Barnyard grass	Fall Panicum	Witchgrass
Crabgrass	Green Foxtail	Yellow Foxtail

Broadleaves:

Black Nightshade	Lamb's Quarters	Shepherd's Purse
Common Purslane	Pigweed	Wild Buckwheat
Lady's Thumb	Prostrate Knotweed	Mustard (Wild, Wormseed)
Ragweed	Velvetleaf*	

NOTE: Some naturally occurring triazine tolerant biotypes of the above listed broadleaf weeds may not be controlled by EXTRAZINE II DF alone. Refer to comments in the following rate chart or consult your local agricultural authority.

* Emerged velvetleaf will be controlled by EXTRAZINE II DF. Velvetleaf germinating after this application will not be controlled. For best results, ON FIELD CORN ONLY, use a tank mix combination of EXTRAZINE II DF and Banvel.

APPLICATION

Apply early post-emergence only. Do not apply to corn past the 3-leaf stage. Annual grasses must not be beyond the 2-leaf stage. Broadleaves

should not be more than 5 cm tall. If crop is under stress from weather, some injury can occur. Do not add oils, surfactants, or adjuvants. If high moisture and cold temperatures persist over a prolonged period, damaged plants may not recover following post-emergent application.

WEEDS CONTROLLED	RATES PER HECTARE	COMMENTS
Lamb's quarters Redroot pigweed	2.6 kg EXTRAZINE II DF	DO NOT USE on soils with less than 1% organic matter.
All grass and broadleaf weeds listed under "WEEDS CONTROLLED BY EXTRAZINE II DF"	3.3 kg EXTRAZINE II DF	DO NOT add oils, surfactants or adjuvants. DO NOT apply to corn beyond the 3-leaf stage.
All broadleaf weeds listed under "WEEDS CONTROLLED BY EXTRAZINE II DF", including triazine tolerant biotypes.	2.6 kg EXTRAZINE II DF + 0.6 L BANVEL 480	See comments above. DO NOT USE THIS TANK MIX ON SWEET CORN. Treatment controls triazine tolerant biotypes of broadleaf weeds listed on the BANVEL label and improves control of velvetleaf.
All grass and broadleaf weeds listed under "WEEDS CONTROLLED BY EXTRAZINE II DF", including triazine tolerant biotypes.	3.3 kg. EXTRAZINE II DF + 0.6 L BANVEL 480	

EXTRAZINE II DF may be applied as an overall spray or as a band application. USE PROPORTIONATELY LESS PRODUCT FOR BAND APPLICATION.

FACTORS AFFECTING EXTRAZINE II DF PERFORMANCE:

There may be a risk of temporary crop damage in post-emergent applications when the crop is under stress due to prolonged cold, wet growing conditions. If these conditions of high moisture and cold temperature persist over a prolonged period the corn may be under such severe stress that damaged plants will not recover following a post-emergent application of EXTRAZINE II DF. These particular stress factors have been more prevalent in those cooler areas having on an average less than 2,500 growing heat units.

USE PRECAUTIONS:

EXTRAZINE II DF contains the equivalent of 0.6 to 0.74 kg/ha of actual atrazine. Land treated with EXTRAZINE II DF should not be planted to any crop other than corn in the year of application.

This product should not be mixed/loaded within 30 metres of any wells, lakes, streams, ponds or sink holes in order to avoid the potential of well or surface water contamination. Do not use this product within 10 metres of the above mentioned water sources. Avoid contamination of food and feed, domestic or irrigation water supplies, lakes, streams and ponds. Do not apply this product through any type of irrigation system. USE ONLY ON CORN. Do not apply at rates greater than 3.3 kg/ha.

When used as recommended, under normal growing conditions, there is no hazard to rotational crops with the exception of very sensitive crops such as tobacco and sugar beets. However, when the rotational crop is subjected to stress conditions, eg. abnormally hot, dry weather, preceded by extended periods of dry weather during the season of treatment, injury may occur. Uneven application or overdosing of EXTRAZINE II DF may result in injury to rotational crops other than corn.

(R) BANVEL is a registered trademark of SANDOZ CROP PROTECTION CORP.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))