

**G & L Distributors Ltd. Rat and Mouse Bait
Warfarin with Rolled Oats**

COMMERCIAL NET CONTENTS - 24 -454 g Bags (10.896 kgs)

READ THE BAG LABEL BEFORE USING

GUARANTEE: WARFARIN0.025 %

REGISTRATION No. 14642 PEST CONTROL PRODUCTS ACT

G & L DISTRIBUTORS LTD.
1705 McAra Street
Regina, Sk. S4N 6H5
Ph. 306-721-6616

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs.

This rodenticide contains warfarin, an anticoagulant chemical that reduces the clotting ability of blood and, upon repeated feeding, causes fatal hemorrhage in rats and mice. Users should remove clothing immediately if pesticide gets inside. Then wash skin thoroughly and put on clean clothing. For use indoors and against the outside walls of buildings.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK. Harmful if swallowed as it may reduce clotting of the blood and cause bleeding. May be harmful or fatal if swallowed or absorbed through the skin. Chemical-resistant gloves must be worn when handling product and when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.** All handlers must wear long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves when handling this product. Keep out of lakes, streams and ponds.

FIRST AID

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

DISPOSAL

Do not re-use empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instruction for any required additional cleaning prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

RODENT DISPOSAL: Dispose of dead rodents in garbage or by burying.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

G. & L. Distributors Ltd. RAT and MOUSE BAIT
Warfarin with Rolled Oats
COMMERCIAL NET CONTENTS 454 g

READ THE LABEL BEFORE USING
GUARANTEE: WARFARIN0.025 %
REGISTRATION No. 14642 PEST CONTROL PRODUCTS ACT

G & L DISTRIBUTORS LTD.
1705 McAra Street
Regina, Sk. S4N 6H5
ph. 306-721-6616

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs.

This rodenticide contains warfarin, an anticoagulant chemical that reduces the clotting ability of blood and, upon repeated feeding, causes fatal hemorrhage in rats and mice. Users should remove clothing immediately if pesticide gets inside. Then wash skin thoroughly and put on clean clothing. For use indoors and against the outside walls of buildings.

DIRECTIONS FOR USE

Registered in Canada for use in DWELLING, FARM BUILDINGS, FOOD SERVICE ESTABLISHMENTS, GRANARY BINS (empty), PROCESSING PLANTS (feed, food, non-food), STORAGE AREAS (feed, food, non-food).

For areas not directly related to food processing: Use only in non-food or non-feed area where feed, food, packaging and handling equipment are never opened or exposed. For areas where feed or food is processed, served, or stored: In meat and food processing plants (processing areas), use only when plant is not in operation. Remove or cover all food, packaging material and utensils before placing bait in baiting stations. Remove all bait and dead rodents before reuse of the plant (processing areas include storage and service).

FOR NORWAY RAT, ROOF RAT AND HOUSE MOUSE, place the bait in locations frequented by the rodent, such as tunnels feeding areas and runways. For rats, set out 50 to 454 gram (one full bag) of bait per station. For mice, set out piles of 15 to 50 grams of bait at intervals of 2 to 3 meters. Replace bait which becomes damp or moldy. Maintain an uninterrupted supply until feeding ceases.

USE LIMITATIONS

Bait **MUST** either be placed in tamper-resistant bait stations or in locations not accessible to children, pets or livestock. **DO NOT** place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

To ensure safe use of this product, tamper-resistant bait stations must have the following characteristics:

- constructed of high-strength material (e.g., metal or injection moulded plastic) and resistant to destruction by children and non-target animals;
- entrance designed so that children and non-target animals cannot reach the bait;
- internal structure that prevents bait from being shaken loose;
- access panel that fastens securely and locks (e.g., metal screw or padlock);
- capable of being securely fastened to a surface (e.g., nailed down); and
- clearly labelled “WARNING POISON”.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK. Harmful if swallowed as it may reduce clotting of the blood and cause bleeding. May be harmful or fatal if swallowed or absorbed through the skin. Chemical-resistant gloves must be worn when handling product and when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.** All handlers must wear long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves when handling this product. Keep out of lakes, streams and ponds.

FIRST AID

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Vitamin K1 in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

STORAGE

Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

DISPOSAL

Do not re-use empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instruction for any required additional cleaning prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

RODENT DISPOSAL: Dispose of dead rodents in garbage or by burying.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this control product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.