

90.04.11

SWIMMING POOL CHEMICALS

REG. NO. 21230 P.C.P. ACT

NET 20 litres

NET 10 litres

SMS CHLOR 12

CHLORINATING LIQUID

CONTROLS BACTERIA & ALGAE
IN SWIMMING POOL WATERS

GUARANTEE:

Sodium Hypochlorite 10.8%
Available Chlorine Content .. 10.3%

WARNING CORROSIVE

DANGEROUS GAS FORMED WHEN MIXED WITH ACID

READ THE LABEL BEFORE USING

SANITATION & MAINTENANCE SUPPLY

20 MONTEITH AVENUE,
STRATFORD, ONTARIO
N5A 2P4

(519) 271-8113

DIRECTIONS FOR USE

1. Maintain recommended daily level as determined by testing kit:

Free Available Chlorine	1.0 - 3.0 ppm
pH	7.2 - 7.8
Total Alkalinity	100 - 120 ppm
Calcium Hardness	200 - 300 ppm

2. Initially superchlorinate pool water by adding to the pool 1 L of Pool Sanitizer-1 per 10,000 L of pool water. For best results superchlorinate at dusk.

3. Chlorinate daily to maintain proper chlorine residual with 250 mL of Pool Sanitizer-1 per 10,000 litres of pool water, or as needed.

NOTE: Hot weather, heavy pool usage and rain, may require higher dosage rates to maintain proper chlorine residuals.

4. Superchlorinate weekly with 1 L per 10,000 litres when average daily temperature is 25'C - 32'C. Otherwise, superchlorinate every other week.
5. For visible algae, superchlorinate with 2 L of Pool Sanitizer-1 per 10,000 L of pool water. Heavy algae infestation may require dosages up to 3 L per 10,000 L. Wait at least 24 hours and vacuum pool when dead algae settles.
6. For wading pools, chlorinate daily to maintain chlorine residual at 3-5 ppm by adding 45.0 mL per 1,000 L of Pool Sanitizer-1 per 1000 L of pool water, or as needed.

NOTE: For outdoor pools, chlorine residuals can be protected from destruction by sun's rays by addition of stabilizer (cyanuric acid).

PRECAUTIONS

- Keep out of reach of children.
- Dangerous gas formed when mixed with acid.
- Do not mix with any other chemical.
- Avoid contact with skin and eyes.
- Harmful if swallowed.
- Keep container closed and store in a cool location.
- Rinse container thoroughly before discarding.
- To dispose of chemical, flush into sewer with large quantities of water.

FIRST AID

If splashed in eyes or on skin, flush thoroughly with water for 15 minutes. For eye contact, get medical attention. If swallowed, drink one glass of milk or water. Call a physician IMMEDIATELY.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))