

89.06.30

GARDEX RATKILL

GUARANTEE:  
DIPHACINONE 0.005%

COMMERCIAL

REGISTRATION NO. 11317  
PEST CONTROL PRODUCTS ACT

READ LABEL BEFORE USING

NET CONTENTS 400 g

GARDEX CHEMICALS LTD  
LES PRODUITS CHIMIQUES GARDEX LTEE  
246 ATTWELL DRIVE,  
ETOBICOKE, ONTARIO  
M9W 5B4

DIRECTIONS FOR USE

Dwellings, Farm buildings, Refuse sites, Food service establishments, Granary bins (empty), Processing plants (feed, food, non-food). Storage areas (feed, food non-food). To control House mouse, Norway rat, Roof rat.

Place the bait in locations frequented by the rodents, such as tunnels, feeding areas and runways. For rats set out 200-400 g of bait per station. For mice, set out piles 25-50 g at intervals of 1-3 m. Replace bait which becomes damp or moldy. Maintain an uninterrupted supply until feeding ceases.

In food processing plants, use only when plant is not in operation. Remove or cover all food, packaging materials and utensils before placing baits. Remove all baits and dead rodent before re-use of the plant for food processing.

PRECAUTIONARY STATEMENTS:

Keep out of reach of children. If taken in large or repeated doses by humans or animals, it may reduce the clotting ability of the blood and cause internal bleeding. Place baits in protected places inaccessible to children and domestic animals or in tamper-proof boxes. Do not contaminate food or feed. Do not contaminate any body of water. Burn or bury bodies of dead rodents.

In food processing plants and kitchens, place bait in protected bait station on the floor only, do not place in overhead location. Wash thoroughly any tables, cutting blocks or equipment accidentally contaminate. Do not apply bait during production hours or bear open foodstuffs.

FIRST AID: If swallowed, give patient one to two glasses of water and cause vomiting by inserting finger down the throat, repeat until vomit fluid is clear. Call a physician.

#### TOXICOLOGICAL INFORMATION

Blood transfusions combined with intravenous injections and oral doses of Vitamin K1 are indicated as for hemorrhage caused by overdoses of Dicumarol

#### DISPOSAL

1. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
2. Make the empty container unsuitable for further use.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))