

2000/2005

BASF
AMMONIUM SULPHATE

Herbicide Adjuvant For Use
in Application with Poast(R)

COMMERCIAL (AGRICULTURAL)

GUARANTEE:
Ammonium Sulphate.....99%

REGISTRATION NO. 19190
PEST CONTROL PRODUCTS ACT

CAUTION POISON

READ ENTIRE LABEL BEFORE USING

NET CONTENTS: 25 kg

BASF Canada Inc.
345 Carlingview Drive
Toronto, Ontario
M9W 6N9
Tel. No. (416) 675-3611

DIRECTIONS FOR USE:

BASF AMMONIUM SULPHATE is a premium grade product registered as a spray adjuvant for use with POAST herbicide for control of volunteer cereals and quackgrass in certain crops. Refer to the Poast label for specific details. Add BASF AMMONIUM SULPHATE to spray applications of POAST according to the following application rates.

1. Volunteer cereals: Spring wheat and barley Apply this tank mix when the volunteer cereals are actively growing and in the 1-6 leaf growth stage. Use 2 kg BASF AMMONIUM SULPHATE with 1.4 L POAST and 1 L ASSIST in 50 - 110 L water/ha.
2. Quackgrass Apply this tank mix when quackgrass is actively growing and in the 1 to 3 leaf growth stage. Use 2 kg BASF AMMONIUM SULPHATE with 2.7 L POAST and 2 L ASSIST in 110 - 200 litres water/ha.

MIXING:

Fill spray tank half full with water. Add correct amount of BASF AMMONIUM SULPHATE to spray tank under agitation. Then, add the appropriate amount of POAST Herbicide. Continue filling spray tank and add ASSIST Oil concentrate last. Continue agitation

CAUTION:

BASF AMMONIUM SULPHATE is extremely corrosive to metals, therefore, all metal sprayer parts coming in contact with the spray solution should be checked regularly. All metal spray nozzle tips will also be subject to corrosion and as a result the sprayer should be calibrated regularly during the season and nozzle tips should be replaced each year.

PRECAUTIONS:

1. KEEP OUT OF REACH OF CHILDREN
2. Do not take internally.
3. Avoid inhalation of vapour, dust, or spray mist and contact with eyes, skin or clothing.
4. Wash thoroughly after handling and before eating, drinking or smoking.
5. Wear protective equipment and clothing, including goggles or face shield, gloves (rubber, PVC, neoprene or nitrile), hat, long-sleeved shirt, trousers and rubber boots.
6. If clothing becomes contaminated, remove and wash separate from household laundry before reuse.
7. Clean spray equipment thoroughly after use.
8. Do not contaminate domestic or irrigation water, lakes, streams or ponds by the cleaning of equipment or the disposal of wastes.

FIRST AID INSTRUCTIONS:

IN CASE OF EYE CONTACT: Flush immediately with flowing water for at least 15 minutes and consult a physician if irritation develops or contact a poison control centre.

IN CASE OF SKIN CONTACT: Wash with soap and water. Remove contaminated clothing and launder before reuse. Consult a physician if irritation develops or contact a poison control centre.

IF SWALLOWED: Give two (2) glasses of water, INDUCE VOMITING and consult a physician immediately or contact a poison control centre.

IF INHALED: Remove person to fresh air. Assist breathing if necessary. Consult a physician immediately or contact a poison control centre.

STORAGE:

1. Store in original, tightly-closed container.
2. Do not ship or store near food, feed, seed or fertilizers.
3. Store in cool, dry, locked, well-ventilated area without floor drain.
4. Herbicides should be shipped or stored separate from other pesticides to avoid cross-contamination.
5. Product must be stored at temperatures greater than -5°C.

Disposal:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory Agency. Contact the manufacturer and the provincial regulatory Agency in case of a spill and for clean-up of spills.

NOTICE TO USER:

This control product is to be used only in accordance with directions on the label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product, and accepts the product on that condition.

POAST(R) and ASSIST(R) are registered trademarks of BASF AG used under license by BASF Canada Inc.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))