92.05.27

WILBUR-ELLIS

Ideas to grow with*

SUPERIOR OIL 70

AGRICULTURAL

EMULSIFIABLE LIQUID

REGISTRATION NO. 14751

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

NET CONTENTS 205 LITRES

WILBUR-ELLIS COMPANY OF CANADA LIMITED 555 Southgate Drive, Unit 101, Guelph, Ontario N1H 6J3

DIRECTIONS FOR USE

INSECTS	CROP AND METHOD	RATE
Red Mite, Lecanium Scale, San Jose Scale,	APPLE - Apply once at the lcm green stage or twice at half rate before and after 1 cm green, but not later than pink-blossom stage	60 L/ha or 20 L/1000 L & apply at 3000 L/ha
European Fruit Scale,	PEAR - Apply at true dormant stage for Pear Psylla & at green-tip for mites.	
Redbanded Leafroller,	PEACH - Apply between 1 cmgreen and first pink.	
Cottony Peach Scale, Pear Psylla	PLUM, CHERRY - Apply when leaf buds are just breaking	

Thorough coverage is essential. Apply on a mild day, but not in late afternoon or evening so that the trees will dry quickly. Do not spray if frost is expected before the trees dry. In Ontario, some bark injury has occurred on Red Delicious when the trees were of low vigour.

USE ON RUTABAGAS: SUPERIOR OIL 70 can be used on rutabagas to deter the feeding of aphids which spread Turnip Mosaic Virus. Apply 11 L/ha of SUPERIOR OIL 70 in 550-1100 L of water per hectare. Thorough coverage is essential. Application should be made at 2500 kPa with hollow cone nozzles. Spray at one week intervals beginning in mid-June or at the first appearance of aphids in the local area. Consult your local extension office for more precise information about aphid activity and spray timing. Applications may be required for up to 10 weeks of aphid activity. Do not apply closer than 21 days to harvest.

CAUTION: Do not apply SUPERIOR OIL 70 in direct sunlight. Spray rutabagas early in the morning or in the evening. Allow at least 24 hours to elapse after the SUPERIOR OIL 70 application before applying other insecticide sprays. Do not apply SUPERIOR OIL 70 in more concentrated solutions than recommended as crop injury may occur.

COMBINATION WITH PYRAMIN HERBICIDE ON BEETS: SUPERIOR OIL 70 can be used as a spray adjuvant for post-emergent applications of Pyramin Herbicide on sugar beets and red beets. Mix the Pyramin with the water first, then add, under continuous agitation, 17 litres of SUPERIOR OIL 70 per 300 - 400 litres of water per hectare. FOLLOW DIRECTIONS ON THE PYRAMIN LABEL CLOSELY.

COMPATIBILITY: SUPERIOR OIL 70 is compatible with Copper, Cyprex, Ferbam and Polyram (add the fungicide to the water first, then add the oil). Do NOT mix with Captan, Parathion, Phygon, Sevin or Wettable Sulphur.

MIXING: Fill the tank about half full and, with the agitator running, add the required amount of oil. Pump the mixture through the overflow back into the tank for about two minutes to obtain proper emulsification. Fill tank to desired level. Do not use the mixture if it does not emulsify. IF USED IN COMBINATION WITH A FUNGICIDE - add the fungicide to the water first, then the oil. Keep agitator running until spray tank is empty.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not inhale spray mist.

FIRST AID: This product contains petroleum distillates. If swallowed, DO NOT INDUCE VOMITING, but rush the patient to

nearest hospital taking this labelled container with you. In case of skin contact, remove contaminated clothing and wash skin thoroughly with soap and water. If in eyes, flush with plenty of water for 15 minutes and get medical attention.

TOXICOLOGICAL INFORMATION: Use gastric lavages and saline cathartics.

DISPOSAL

- 1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Conservation and Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

3/92

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))