

84.11.09

COMMERCIAL

SCIA-RID

EMULSIFIABLE CONCENTRATE

FOR USE IN MUSHROOM HOUSES

CAUTION POISON

GUARANTEE : MALATHION 500 g/L

PRECAUTION

KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

REGISTRATION NO. 18183
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

NET CONTENTS

MADE IN CANADA

KEM MFG. CANADA
660 CAMPOBELLO RD.,
MISSISSAUGA, ONTARIO
L5N 2L9

PLANTS : EUROPE/LATIN AMERICA/CARIBBEAN/CANADA/AFRICA/U.S.A.

MUSHROOM BEDS : For control of mites, phorid flies, sciarid flies. Use 25 to 40 mL of concentrate in 11 L of water per 100 m² of bed area. Apply immediately after picking. Repeat about twice per week or as required. The same concentration may be sprayed or painted on wooden surfaces in mushroom houses to the point of run-off as needed. Avoid spraying on bed surfaces when time of application differs from that recommended for mushroom beds. Do not make application within 2 days of harvest.

PRECAUTIONS : KEEP OUT OF REACH OF CHILDREN. Harmful by swallowing, inhalation or skin contact. Avoid breathing spray mist. Avoid contact with skin. Wash thoroughly after handling. Change contaminated clothing. Do not contaminate food, feed products, or water supplies. Do not treat dairy barns.

FIRST AID : In case of exposure to Malathion, move patient from area and remove all contaminated clothing. Wash all exposed skin with soap and water. If in eyes, flush with water for 15 minutes and get medical attention. If breathing is weak or irregular give artificial respiration. Get prompt medical attention. If swallowed, give patient 1-2 glasses of water and cause vomiting by giving a dose of ipecac or by inducing vomiting by inserting a finger down the throat. DO NOT TRY TO CAUSE VOMITING IF PATIENT IS UNCONSCIOUS OR IN A CONVULSIVE STATE. Get prompt medical attention.

TOXICOLOGY : Symptoms of poisoning include headache, weakness, sweating, giddiness, blurred vision, nausea, abdominal cramps, diarrhea, and discomfort in chest. Atropine is antidotal. Give 2 to 4 mg of atropine sulphate intramuscularly or intravenously immediately and every hour as required until pupil dilate.

DISPOSAL PROCEDURES : Malathion breaks down rapidly in the presence of water and alkaline materials. Containers and spillages can be readily decontaminated by the use of Javex or lye, or washing soaps containing sodium hydroxide. Residues of Malathion can be buried in a suitable disposal area by first putting down a layer of soda ash or hydrated lime and by pouring in the Malathion, adding another layer of soda ash or lime and by pouring a mixture of Javex and water, then filling in the hole. The amount of lime and Javex would be dependent upon the amount of Malathion encountered. Empty container can be filled with lye or strong soap detergent solution and left to stand for 24 hours. After washing, dispose of solution in a lime bed. Crush and bury the containers.

NOTICE TO USER : This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER : Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

FOR INDUSTRIAL USE ONLY
NOT FOR RESALE

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))