

2000/2005

**CSG  
LAROSE & FILS LTEE  
1000**

**DISINFECTANT CLEANER  
FOR FOOD, MEAT AND POULTRY PROCESSING**

**GUARANTEE:** N-Alkyl (5% C12, 60% C14, 30% C16, 5% C18)  
dimethyl benzyl ammonium chloride.....0.8%

N-Alkyl (68% C12, 32% C14) dimethyl ethyl  
benzyl ammonium chloride.....0.8%

CAUTION

CORROSIVE

**REGISTRATION NO. 19418 PEST CONTROL PRODUCTS ACT**

DIN 00693073

READ THE LABEL BEFORE USING

**COMMERCIAL**

CONTENTS

160 ON.  
4.5 L

5 GAL.  
22.7 L

45 GAL.  
204.7 L

**Lot N<sup>o</sup>**

**EXP.**

LAROSE ET FILS Ltee.  
2255 BOUL INDUSTRIEL,  
LAVAL, (QUEBEC) H7S 1P8

**FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY**

**DIRECTIONS: DISINFECTION** - of hard surfaces, industrial floors, walls and food

processing equipment, table tops, counters, display racks in meat and poultry processing and packing plants, supermarket meat rooms, kitchens and other food processing areas, add 1 part per 25 parts water. Allow solution to wet all surfaces thoroughly and remain wet for 10 minutes.

**MILDEWSTAT** - To control mold and mildew on pre-cleaned, hard non-porous surface, add 1 part "CSG 1000" to 25 parts water. Wet surfaces completely. Let air dry. Repeat application at weekly intervals or when mildew growth reappears.

**SANITIZING** - To sanitize pre-cleaned, rinsed non-porous food contact surfaces, prepare 200 ppm active QUAT solution by adding 1 part "CSG 1000" to 80 parts water. Allow solution to contact surface for at least 60 seconds. Let air dry. Prepare fresh solution each use.

**DISINFECTION** - At 1 part "CSG 1000" to 25 parts water, this product exhibits effective disinfectant activity against: *Escherichia coli*, *Salmonella choleraesuis*, *Staphylococcus aureus*. At this level the product is also fungicidal against the pathogenic fungi, *Trichophyton mentagrophytes*. At 1 part per 21 parts dilution, this product is an effective hospital disinfectant and demonstrates activity against *Pseudomonas aeruginosa*. Efficacy tests have demonstrated that this product is an effective bactericide, fungicide and virucide in the presence of organic soil (5% blood serum). "CSG 1000" is an effective sanitizer when diluted with water up to 250 ppm hardness (CaCO<sub>3</sub>).

**PRECAUTION:** Keep out of reach of children. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Wear glasses or face shield and rubber gloves when handling. Avoid contamination of food. When used on surfaces coming in direct contact with food, rinse thoroughly with potable water. Do not mix with soap or anionic solutions.

**CONTAINS:** Surfactants, silicate, phosphate, sequestrant and dye.

**FIRST AID INSTRUCTIONS:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, contact a physician. Remove and wash all contaminated clothing before re-use. If swallowed, drink milk, egg whites, gelatin solution or if none of these are available, drink large quantities of water. Call a physician or Poison Control Centre immediately.

**NOTICE TO USER:** This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

**TOXICOLOGICAL INFORMATION:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**DISPOSAL:**

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+) )