

93.08.13

2,4-D ESTER 700

LOW VOLATILE

AGRICULTURAL

GUARANTEE:

2,4-D..... 660 (*) g/L
(Present as iso-octyl ester)
(*) Isomer specific analysis

READ THE LABEL BEFORE USING

REGISTRATION NO: 22448
PEST CONTROL PRODUCTS ACT

WARNING POISON

NET CONTENTS 10 L

DU PONT CANADA INC.
AGRICULTURAL PRODUCTS

Box 2300, Streetsville
Mississauga, Ontario
L5M 2J4
1-800-387-2169

Regency Centre
333 - 25th Street East
Saskatoon, Saskatchewan
S7K 0L4
1-800-667-3925

DIRECTIONS FOR USE

PRECAUTIONS

1. KEEP OUT OF THE REACH OF CHILDREN.
2. Avoid contact with eyes, skin and clothing. May cause irritation.
3. Do not breathe spray mist or vapours. Avoid spray or vapour drifts onto susceptible plants such as grapes, tomatoes, tobacco, sugar beets, sunflowers, beans, turnips, cauliflower, cabbage, alfalfa, clover, peas, potatoes, ornamental trees, shrubs or flowers, fruit trees, lawns, most vegetable crops or other desirable vegetation.
4. Do not spray when there is any danger of wind, or on exceptionally hot days over 27 deg(c).
5. Drift from spray may be reduced by using high volume sprays under low pressure, coarse sprays, and drop nozzles.
6. Do not contaminate any body of water. Avoid contamination of foods.
7. Do not use in a greenhouse.
8. Keep in original container during storage.
9. Do not store near or in same room as seeds, feeds, fertilizers or pesticides.
10. Keep away from fire or open flame and other sources of heat.
11. Clean spray equipment thoroughly after use. Do not use spray equipment for other purposes. Do not re-use empty containers.
12. Allow 24 hours between application and grazing/cutting for hay.

FIRST AID:

1. In case of poisoning, call a physician immediately.
2. If on skin, remove contaminated clothing and wash skin thoroughly with soap and water.

3. If in eyes, flush with water immediately and continue for 5-10 minutes. Get medical attention.
4. If swallowed, do not induce vomiting. Take patient to nearest hospital or doctor's office. Take the pesticide label with you.

DISPOSAL INFORMATION

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Sellers guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

DIRECTIONS FOR USE

TANK MIX: 2,4-D ESTER 700 L.V. + EXPRESS(R) HERBICIDE

CROPS: SPRING WHEAT, DURUM WHEAT AND BARLEY IN THE PRAIRIE PROVINCES AND THE PEACE RIVER REGION OF BRITISH COLUMBIA

TREATMENT STAGE: 3-leaf to flag leaf (shot blade) stage of crop, prior to head emergence and when weeds are less than 10 cm across or high, before the crop canopy closes. See EXPRESS label for

details on wild buckwheat and Canada thistle suppression.

WEEDS CONTROLLED:

ball mustard	Russian thistle
cow cockle	shepherd's purse (fall rosettes and spring seedlings)
flixweed (fall rosettes and spring seedlings)	stinkweed (fall rosettes spring seedlings)
hare's ear mustard	sunflower, annual
Indian mustard	sweetclover
kochia (2-10 leaf)	thyme-leaved spurge
lamb's-quarters	tumble mustard
narrow-leaved hawk's-beard (fall rosettes and spring seedlings)	wild mustard
prickly lettuce	wild radish
redroot pigweed	wormseed mustard
Russian pigweed	

Plus suppression of: Canada thistle, wild buckwheat (See EXPRESS label for details)

RATES TO USE:

EXPRESS Herbicide	10 g/ha
2,4-D Ester 700 L.V.	+ 600 - 800 mL/ha

FILLING SPRAY TANK

1. Fill tank $\frac{1}{2}$ full with water. Start agitation.
2. Add 2,4-D Ester 700 L.V. When EXPRESS is used, add to the spray tank before the 2,4-D Ester 700 L.V. Add the surfactant last. See EXPRESS label for full details of mixing.
3. Complete filling the tank with water while maintaining continuous agitation.
4. Use 60 - 240 litres of water per hectare unless otherwise specified on EXPRESS label.
5. Do not exceed 275 kPa pressure.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))