# ORTHO (R)

## SUPER Weed-B-Gon

Concentrated: 500 mL container will treat approximately 400 square meters (4,400 sq. ft.).

## CONTROLS OVER 50 DIFFERENT LAWN WEEDS

## DOMESTIC

## LIQUID HERBICIDE

## **GUARANTEE:**

2,4-D95	q/L
Mecoprop (d-isomer)50	
Dicamba9	g/L
(All present as amines)	•

READ THE LABEL BEFORE USING

REG. NO.: 23,813 P.C.P. ACT

NET CONTENTS: 500 mL

The Solaris Group A unit of/Le Groupe Solaris 600-25 Watline Avenue Mississauga, Ontario L4Z 2Z1

DIRECTIONS:

TO CONTROL	DILUTION RATES/COV	TIMING/	
	GREEN CROSS® DIAL-A-SPRAY SETTING**	COMPRESSED AIR SPRAYER	APPLICATION
Dandelions, plantain, chickweed, clover, bedstraw, black medick (yellow clover), heal-all, ground ivy (creeping Charlie), knotweed, ragweed, shepherd's purse, poison ivy, devil's paint brush, buttercup, English daisy.	This 500 mL container of concentrate will treat approximately 400 square meters (4,400 square feet). ** The GREEN CROSS DIAL-A-SPRAY is a hose-end sprayer with various settings. The number of the setting is the number of mL of product being applied per litre of water. Please refer to the DIAL-A-SPRAY label for use instructions.	Mix 6 mL* of concentrate per litre of water to treat 5 square meters (50 square feet).  *5 mL= 1 teaspoon	Apply in late spring or early fall on actively growing weeds. Avoid application during long, dry periods. Fertilize and water lawn after weeds are killed to fill any bare spots. Repeat as necessary.

Product Use Information: 1-800-668-5669

#### PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Avoid spray drift onto susceptible plants. Spray is injurious to many desirable ornamentals and vegetables. Do not apply when rain is expected. Do not water within 24 hours of spraying. Do not use on bentgrass varieties (golf greens). Do not use same sprayer for other uses. Do not apply to newly seeded lawns until after 3rd mowing. Do not store near seeds, fertilizers, insecticides or fungicides. Dispose of empty container with household garbage.

Protective Clothing: \*Wear long-sleeved shirt, long pants, socks and chemical-resistant (e.g., rubber) gloves.

Operator Use Precautions: \*Rinse gloves before removal. \*Wash hands before eating, drinking, using tobacco or using the toilet. \*If pesticide penetrates clothing remove immediately; then wash thoroughly and put on clean clothing. \*Remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water, then shower. \*Re-use gloves for pesticide application only.

Re-entry Interval: \*Do not allow people (other than the applicator) or pets on the treatment area during application. Do not enter treatment areas until spray has thoroughly dried.

Maximum Application Frequency: \*For good turf/lawn management normally two applications per year per treatment site are adequate. This does not include spot treatments.

### FIRST AID:

If swallowed, induce vomiting. Obtain prompt medical attention or contact a Poison Control Centre. If in eyes, flush with clear water. If on skin, wash with soap and water. Get medical attention if irritation persists.

#### NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))