

2000/01

pyrosect

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY 0812

LIQUID INSECTICIDE

Contains pyrethrins and piperonyl butoxide

GUARANTEE:

Technical Piperonyl Butoxide	1.00%
Pyrethrins	0.10%

REGISTRATION NUMBER 11352 PEST CONTROL PRODUCTS ACT

CAUTION:

KEEP OUT OF REACH OF CHILDREN
DO NOT TAKE INTERNALLY
(SEE LEFT PANEL FOR ADDITIONAL CAUTION).

NET CONTENTS 20 LITRES

Manufactured by:

WEST CHEMICAL PRODUCTS OF CANADA LTD.
10900 SECANT, VILLE D'ANJOU P.Q. H1J 1S5
BRANCHES IN PRINCIPAL CITIES

PYROSECT is recommended for use in mills, elevators, granaries, warehouses, and food storage areas. PYROSECT kills exposed stages of granary weevils, rice weevils, confused flour beetles, red rust flour beetles, cadelles, saw-toothed grain beetles, spider beetles, angoumois grain moths, mediterranean flour moths, meal worms, drug store beetles, and grain mites. PYROSECT is also effective as a space spray for use in the control of flies, mosquitoes, gnats, wasps and hornets.

DIRECTIONS FOR USE:

SURFACE SPRAYING-

Apply PYROSECT using the West 124-S Sprayer at the rate of 5 litres per 100 square metres or as a "dew-like mist". Spray floors, walls and other surfaces of bins, storage and handling areas thoroughly with particular attention to cracks or crevices. Waste grain, dust, dirt and debris should be removed and destroyed and storage areas cleaned before spraying. Apply PYROSECT to conveyors, processing and handling equipment such as reel sifters, purifiers, conveyors, sifters, and hoppers. Spray thoroughly around the bases of heavy machinery and equipment. For in-transit protection and control, treat truck beds, boxcars, and ships' holds before loading, with emphasis on cracks, crevices, recesses and other hiding or breeding areas.

FOGGING-

For control of flying insects, fog PYROSECT at the rate of 325 mL/100m³ using the WEST 1600 FOGGER or the SPACEMASTER TM JET-FOGGER. Keep doors and windows closed for at least ten minutes after treatment. Be sure that all ventilating equipment is turned off. Do not remain in treated areas and ventilate the area after treatment is completed. Rinse empty container thoroughly with water and discard in a safe place.

CAUTION:

Food should be removed or covered during treatment.

Use only when the plant is not in operation. Store away from heat and open flame. All food processing surfaces should be covered during treatment or thoroughly cleaned before use. Harmful if swallowed.

FIRST AID: If swallowed, call physician immediately.

ANTIDOTE: For ingestion or aspiration, do not induce vomiting. Give large quantities of milk or water. This product contains petroleum distillate. Give oxygen if necessary with antibiotics to prevent or treat bacterial pneumonia, and saline cathartics to promote elimination from the digestive tract. Avoid contact with skin and eyes. In case of accidental contact with eyes, flush with plenty of water. If irritation persists, consult a physician. For skin wash with plenty of soap and water.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

1-0812-C044

Made in Canada

*Registered Trade Mark Authorized User

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))