## CCL HORNET & WASP FOAM INSECTICIDE SPRAY II

# PRESSURIZED CONTACT & RESIDUAL INSECTICIDE SPRAY

## DOMESTIC

### **GUARANTEE:**

D-TRANS	ALLETHRIN	. <b></b> .	 0 .	050%
N-OCTYL	BICLYCLOHEPTENE I	DICARBOXIMIDE	 0.	400%
CHLORPYI	RIFOS	· • • • • • • • • • • • • • • • • • • •	 0.	500%

## BARRIER SPRAY

Blankets Wasp and Hornet Nests

JET STREAM

Spray nests safely from 2-2.5 Meters(6-8 feet)

FAST KNOCKDOWN

NON STAINING

REG. NO. 21005 P.C.P. ACT

CAUTION

EXPLOSIVE

READ THE LABEL BEFORE USING

NET CONTENTS\_\_\_grams

CCL INDUSTRIES INC. 105 Gordon Baker Road Willowdale, Ontario M2H 3P8

#### DIRECTIONS:

For control of wasps, bees, hornets and yellow jackets. Shake can well before using. Remove protective cap. Insert "applicator

wand" into spray nozzle and point in direction of the insect nest from a distance of 2 to 2.5 metres (6-8 feet). Depress nozzle and spray until nest is all covered with the insecticide foam. The insects will now not be able to leave the nest so insert the applicator wand into the nest and fill the nest with insecticide foam. Allow sufficient time for insects to become inactive before destroying the nest. Application to nests should be made in late evening or early morning when insects are at rest.

#### LIMITATIONS:

Do not use inside homes, on humans or animals. Do not use as a space spray.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

May be harmful if swallowed, inhaled or absorbed through skin.

Provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist. Wash thoroughly with soap and warm water after using. Do not allow children or pets to contact treated areas until surfaces are thoroughly dry. Do not contaminate food, utensils, food preparation areas. Remove pets and cover fishbowls before spraying. Toxic to bees, fish and wildlife. Do not contaminate any body of water. Do not contaminate animal feeding areas. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat. Do not store or use above 50 deg. C as container may burst. Do not use in presence of open flame or spark. Do not puncture or incinerate container.

# FIRST AID INSTRUCTIONS:

If on skin, wash immediately with soap and warm water. If in eyes, flush for 15 minutes with water. If irritation develops, consult physician. If accidently swallowed, contact a Physician or a Poison Control Centre.

## TOXICOLOGICAL INFORMATION:

Chlorpyrifos is a cholinesterase inhibitor. Atropine sulfate is antidotal. Do not give morphine. Watch for delay pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy and treat symptomatically.

## DISPOSAL:

When container is empty, press button to release all pressure. Do not throw into fire. Wrap and dispose of with household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))