

1997/2002

CHIMTOX 480

Paper Mills, MICROBICIDE

GUARANTEE:

5-Chloro-2-methyl-4-isothiazolin-3-one.....2.30%
2-Methyl-4-isothiazolin-3-one.....0.70%

Commercial

DANGER

Poison Corrosive

READ THE LABEL BEFORE USING

REGISTRATION NO. 20261
PEST CONTROL PRODUCTS ACT

NET CONTENT

PA-7 LAB. INC.
7300 ST-JACQUES OUEST
MONTREAL, QUEBEC
H4B 1W1

PRECAUTIONS:

DANGER - CORROSIVE TO EYES AND CAUSES SKIN BURNS. MAY CAUSE ALLERGIC SKIN REACTION.

MAY BE HARMFUL IF INHALED. MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN.

Do not get in eyes, on skin, on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapour or mist. Do not take internally. This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of waters. Apply this product only as specified on this label.

STORAGE: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. If plastic, do not reuse

empty container.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of ENVIRONMENT CANADA.
5. For small spills recover free liquid. Soak up residue with solid absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

DIRECTION FOR USE

Pulp and Paper: Chimtox 480 is recommended for the control of bacterial and fungal slime in the production of paper.

POINT OF ADDITION: Chimtox 480 should be added at a point in the system to insure uniform mixing such as the Beater, Hydropulper or Fan or Broke Storage Pump.

DOSAGE: Apply 88 to 400 ml of Chimtox 480 as supplied per tonne (dry basis) of pulp or paper produced, as a slug dose. If needed, repeat daily. Badly fouled systems should be cleaned before initial treatment.

FIRST AID

IF ABSORBED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

IF INHALED: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contra-indicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

NOTICE: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the products on that condition.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))