85.12.31

#### TALCORD\*

#### AGRICULTURAL

# INSECTICIDE

Emulsible concentrate containing permethrin for insect control

Net Contents: 1 L

GUARANTEE : PERMETHRIN......400 g/L

READ THE LABEL AND BROCHURE BEFORE USING

KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO.: 16810 PEST CONTROL PRODUCTS ACT

Shell International Chemical Company AGRICULTURAL DIVISION SHELL CENTRE London, England SE1 7PG

INTRODUCTION:

Talcord is a highly active insecticide which works by contact or stomach action. It is recommended for use against certain insect pests that attack sweet corn, cabbage, cauliflower, Brussels sprouts and broccoli. Refer to Directions for rates and insect pests controlled.

DIRECTIONS:

Ground Application Only

CROP	INSECT	DOSAGE	USE INSTRUCTION
Sweet corn	European corn borer; Corn earworm	275 - 350 mL/ha 300 - 400 L of water per ha. Use a boom and nozzle arrangement that ensures thorough spray coverage (1 L treats 2.9 - 3.6 ha).	when severe insect pressure is anticipated. Spray not later than when first feeding is seen on the
Allow 1 day between the last treatment and harvest.			
Cabbage, Cauliflower, Brussels Sprouts and Broccoli	Imported cabbage worm; Cabbage looper and Diamond back moth	90 - 175 mL in 300 - 5 L of water per ha. (1 L treats 5.7 - 11.1 ha).	Begin treatment when insects or signs of insect feeding appear. Repeat every 10 days or as necessary. Use the high rate for severe infestations.
Allow 3 days between the last treatment and harvest on cabbage, cauliflower			

and Brussels sprouts and 7 days on broccoli.

### USE LIMITATIONS:

APPLY USING GROUND EQUIPMENT ONLY. Do not apply by aircraft. This product is toxic to fish and aquatic organisms. Do not apply where streams, lakes, ponds or bodies of water used by livestock or for domestic purposes may be contaminated. Do not apply within 15 meters of fishery productive bodies of water or waterfowl habitats. Do not contaminate any body of water during filling or rinsing operations.

## CAUTION:

KEEP OUT OF REACH OF CHILDREN. Severely irritating to eyes. Avoid contact with eyes, skin or mouth. Avoid breathing the spray mist. Wash thoroughly

after using and before eating or smoking. Keep in original container during storage. Do not contaminate or store near feed or foodstuffs. Keep product away from fire, open flame, lighted electric bulbs and other sources of heat. Toxic to bees and other beneficial insects. Avoid spraying when bees are foraging.

#### FIRST AID:

This product contains petroleum distillates. If swallowed do not induce vomiting or administer liquids. Keep prone and quiet. Transport immediately to nearest physician. If eyes are splashed, immediately flush eyes continuously for 15 minutes with large amounts of water. See physician. If skin is contacted, remove all contaminated clothing at once.

NOTE:

When patient is examined by physician, take container label or container for his attention.

ADVICE TO PHYSICIAN:

The treatment of systemic intoxication should be primarily symptomatic and supportive. In cases of ingestion, carry out gastric lavage with care to Prevent aspiration.

DECONTAMINATION AND DISPOSAL:

Rinse empty bottle 3 times with fresh water, disposing of the washings in the spray tank. Rinsed empty containers should be broken or crushed and disposed of in normal garbage.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

\*Registered Trade Mark of Shell Canada Limited

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))