

13-JUL-2005 Notification received of a label change. See below for this change.

2002-2007

COMMERCIAL

Net Contents 20 kg

**CAPTAN 75 SEED PROTECTANT
Wettable Powder**

FOR USE IN SEED TREATMENT PLANTS ONLY

Fungicide

No Dye Added

READ THE LABEL BEFORE USING

CAUTION: Exposure to Captan may produce long term health effects.
To minimize exposure, follow directions outlined on this label.

GUARANTEE: Captan 75%

REGISTRATION NO. 6007 PEST CONTROL PRODUCTS ACT

Notification Change

Arysta LifeScience North America Inc

~~ARVESTA CORPORATION~~

100 First Street, Suite 1700
San Francisco, CA 94105
tel. # 415-536-3480

Distributor:

TOMEN CANADA, INC.
160 Bloor Street East, 11th Floor Suite 1135
Toronto, Ontario M4W 1B9 CANADA
tel. # 416-868-1103

B93/A-6

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Never handle material with bare hands. Use rubber gloves; do not use leather or cloth gloves. Avoid spilling on skin or clothing. Do not breathe dust. Wear a respirator and goggles while mixing, loading and treating seed. When handling or applying wear goggles and clothing that completely covers arms and legs to minimize exposure. Change contaminated clothing daily and wash thoroughly before re-use. Wash hands, face and arms thoroughly after handling Captan and before drinking, eating or

smoking. Shower after use or at the end of the work day. Wash clothing and gloves before re-use. Always work out of the wind during mixing and loading operations. Keep unprotected persons out of operating area or vicinity where there may be drift. When treating, augering or handling treated seed, work in a well-ventilated area, and wear a suitable respirator, goggles and gloves.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., contact 1-866-375-4648 or www.cropro.org/.

FIRST AID

If a known exposure occurs or is suspected, immediately initiate the recommended procedures below. If further treatment is required, contact a **Poison Control Centre**, a physician or the nearest hospital.

If Swallowed: Immediately give several glasses of water and induce vomiting by gagging the victim with a finger or blunt object placed on the back of the victim's tongue. Give fluids until vomitus is clear. If victim is unconscious, do not induce vomiting or give anything by mouth.

For Eye Contact: Immediately flush eyes with large amounts of running water for at least 15 minutes. Hold eyelids apart during flushing to ensure rinsing of the entire surface of the eye and lids with water. Get medical attention.

For Skin Contact: Flush all affected areas with plenty of water for 15 minutes. Remove contaminated clothing and shoes. Seek medical attention if skin irritation occurs. Wash clothing before re-use.

If Inhaled: Remove to fresh air. Seek medical attention if respiratory irritation occurs or if breathing becomes difficult.

EMERGENCY TELEPHONE NUMBER

All hours, 1-800-228-5635 ext. 174 **ONLY** for health and environmental information.

ENVIRONMENTAL HAZARDS

Do not contaminate any body of water.

STORAGE

Do not contaminate food or feed.

DISPOSAL

Rinse empty container thoroughly and add the rinsings to the spray mixture in the tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of container in accordance with provincial requirements. For information on the disposal of unused, unwanted product, contact the Provincial Regulatory Agency or the Manufacturer. Contact the Manufacturer and the

Provincial Regulatory Agency in case of spills and for clean-up of spills.

DIRECTIONS FOR USE

COMPATIBILITY

CAPTAN 75 SEED PROTECTANT can be used in combination with most commonly used seed treatments, both insecticides and fungicides as well as fertilizers. Do not use with strongly alkaline materials, such as lime or with oils or oil emulsions.

PLANT SAFETY

At the recommended dosage CAPTAN 75 SEED PROTECTANT is non-injurious from the standpoint of seed injury or yield reduction. The germination of treated seed is frequently stimulated giving a superior result as compared to results from other seed fungicides.

Important: Bags containing Captan-treated seed must have attached a conspicuous label or tag reading: "This seed has been treated with Captan for the control of certain fungus diseases. Poisonous to man and animals. Do not use this seed for food or feed. Do not sell to oil mills."

SEED COLOURING

This product does not contain a dye for colouring treated seed as required by the Seeds Act. A dye or colourant must be added to conspicuously colour the treated seed.

APPLICATION RATES

Treat prior to storage and planting for control of many seed rots, seedling rots and root rots as well as molds and other fungi causing storage loss.

Slurry treatment: Premix the recommended amount of this material with a little water in a bucket and make thin paste. Stir this paste into the required amount of water for slurry treater equipment to be used.

Amount of Captan 75 to Use on Seeds

<u>Seed</u>	<u>Slurry</u>
Corn	39 grams /5 kg or 18.5 g 21 g/25 kg
Onion (Pelleting)	1 kg/kg
Beans, Peas	55 grams/50 kg or 26 g/25 kg
Soybeans	55 grams/50 kg or 26 g/25 kg
Cucumber, Cantaloupe	63 grams/50 kg
Squash, Pumpkin, Watermelon	42 grams/50 kg
Beets	250 grams/50 kg
Sugar Beets	125 grams/50 kg
Swiss Chard	250 grams/50 kg
Clover, Alfalfa	172 grams/50 kg
Crucifers	31 grams/50 kg
Spinach	125 grams/50 kg
Grasses	172 grams/50 kg

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))