

85.12.31

SANEX

COMMERCIAL

VAPO-5 FOGGING SOLUTION

SOLUTION VAPO-5 POUR NEBULISATION

A FOGGING SOLUTION CONTAINING DICHLORVOS FOR USE IN THERMAL AND  
MECHANICAL FOGGING EQUIPMENT

READ THE LABEL BEFORE USE

GUARANTEE: DICHLORVOS 4.65%

REGISTRATION NO. 12868 PEST CONTROL PRODUCTS ACT

NET CONTENTS

LITRES

DANGER

POISON

SANEX INC

2695 SLOUGH STREET

MISSISSAUGA ONTARIO L4T 1G2

#### DIRECTIONS

##### OUTDOOR FOGGING FOR MOSQUITO CONTROL:

Apply at the rate of 1.5-2.75 litres of Vapo-5 Fogging Solution per hectare. The material may be diluted with diesel fuel to an appropriate concentration to facilitate application in available equipment. For most effective treatment, the fog should remain close to the ground. Fogging should be done in early morning or late evening when air currents are at a minimum or are not rising. A dry fog should be used for best results. A wet fog may damage surrounding vegetation.

##### INDOOR APPLICATION:

Close all doors, windows and ventilators, lock or barricade all entrances and post warning signs. Vacate occupants. Remove unprotected food and cover food handling equipment before applying VAPO-5. Late afternoon application is preferable

because the building can be closed all night. The operators and fogging equipment should remain outdoors and the fog directed into the treated area. Workers may re-enter the building next day after ventilating.

#### TOBACCO WAREHOUSES:

Apply 70 - 140 mL of SANEX VAPO-5 FOGGING SOLUTION to each 100 cu. m of space. Repeat application as often as necessary to maintain control, usually twice a week.

#### FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS, THEATRE AND WAREHOUSES:

Apply 30-70 mL of SANEX VAPO-5 FOGGING SOLUTION for each 100 cu. meters of space. Repeat application as often as necessary to maintain control but not more often than once a week.

#### WINERIES OR WINE CELLARS:

Apply 30 mL of SANEX VAPO-5 FOGGING SOLUTION per 100 cu. meters. Repeat treatment as necessary.

#### PRECAUTIONS:

KEEP AWAY FROM CHILDREN AND PETS. Store in original container away from heat or flame. Destroy empty container. Do not store near or contaminate feed or foodstuffs. Do not get on skin or eyes. Avoid breathing fumes. Wear mask or respirator offering protection against Dichlorvos insecticide. Wash with soap and water before eating or smoking.

#### NOTICE TO USER:

In meat and food processing plants, only spray when plant is not in operation. No exposed food products, ingredients, or packaging materials to be left in the room. Cover food handling equipment. Any treated surfaces that may contact meat food products or other food products should be washed and rinsed thoroughly with potable water after application and before re-use for food processing.

#### FIRST AID:

In case of skin contact, wash immediately with soap and water. Wash all contaminated clothing before re-use. In case of eye contact, flush eyes with running water for 10 minutes. If the person has swallowed the material, induce vomiting immediately by introducing a finger into the throat. Do not give anything by mouth if unconscious. Keep victim still and quiet. Give

artificial respiration if victim is not breathing. CALL A DOCTOR IMMEDIATELY.

TOXICOLOGY:

Symptoms of poisoning include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivations, sweating, nausea, vomiting, diarrhea, and abdominal cramps. If there are signs of parasympathetic stimulation, atropine sulphate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

NON-WARRANTY:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+) )