Later's

Bugban-C

Cutworm

Dust

READY-TO-USE. Controls Cutworms, Ants, Chinch Bugs, White Grubs, Sod Webworms, Earwigs in Vegetables, Ornamentals and Lawns.
Contains DURSBAN.*

READ THE LABEL BEFORE USING

DOMESTIC

REG NO. 23701 P.C.P. ACT

GUARANTEE: chlorpyrifos 0.5%

500 q

Later Chemicals Ltd 12080 Horseshoe Way, Richmond, B.C. V7A 4V5

Cutworms are larvae of dark, night-flying moths, often visible around lights in April and May. Cutworms are softbodied, hairless caterpillars that curl up when touched. They could be grey, brown, or black, striped, blacksided, yellow-headed and greasy. They attack plants at night and hide in the soil during the day. On top of the soil they cut through seedlings or devour leaves, all but the stem. Some climb into Fruit Trees, Grapevines and Blueberry Bushes. Some exist below soil-level and feed on roots causing plants to wilt and die.

DIRECTIONS: Later's Cutworm Dust is Ready-To-Use and effectively eliminates Cutworms, White Grubs, Chinch Bugs, Crickets, Earwigs, Sowbugs, European Chafer Larvae, Japanese Beetle Larvae, Spiders and Ants that invade and destroy lawns and gardens. Apply to soil at first sign of damage and water in.

10 m = 10 long paces $25 \text{ m2} = 5 \text{ m} \times 5 \text{ m}$ 15 g = 1 tablespoon

HOW TO USE:

VEGETABLES: Sprinkle 500 g over 25 m2 before planting and work into soil.

When used around establishing plants apply to the soil at a rate of 70 g per 10 m row. Use on vegetables listed below. Do not use on green bunching onions. To control Potato Flea Beetles and Tarnished Plantbugs on Potatoes apply dust to plants at a rate of 35 g per 10 m row. Repeat weekly as needed, but not more than 9 applications in one season.

	DAYS TO WAIT BEFORE HARVEST
Broccoli	32
Brussels Sprouts	32
Cabbage	32
Carrots	60
Cauliflower	32
Celery	70
Chinese Cabbage	32
Cucumber	60
Green Pepper	40
Onions	60
Potatoes	7
Sweet Corn	70
Tomatoes	70

ORNAMENTALS: Make no more than 2 applications per season. Sprinkle contents of this canister (500 g) evenly over 12.5 m2 of soil and water in or mix with soil to a depth of 15 cm. To control foliar insects such as Aphids, Mealybugs, Mites, Scales, Spittlebugs, Thrips and Whiteflies, apply dust evenly to cover upper and lower leaf surfaces. Do not use on Roses, Azaleas, Camellias, Poinsettias, Oxalis, Coleus or Variegated Ivy.

LAWNS: Make no more than 2 applications per season. Sprinkle contents of this canister (500 g) evenly over 25 m2 to control Ants, Chinch Bugs, Sod Webworms, Cutworms. For best results, lawn should be dry and mowed before application. Water the lawn thoroughly after application. For control of surface feeding insects (Sod Webworm) apply in the early evening and withhold watering for 24 hours. To control European Chafer Larvae, Japanese Beetle Larvae and White Grubs sprinkle 500 g evenly over 12.5 m2 and water in.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Keep children and pets off treated areas until watered in and dry. Do not allow

dust to contact food, food preparing surfaces, utensils or drinking water. Wash contaminated surfaces with soap and water. Avoid contact with dust, it may cause irritation to eyes or skin. Avoid inhaling dust. Wash thoroughly with soap and water after using.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and crustaceans. Avoid contamination of fish ponds. Do not use in animal buildings or poultry houses.

FIRST AID: IF SWALLOWED, induce vomiting by giving 2 glasses of warm water to drink and inserting finger to back of victim's throat. Seek medical attention immediately. Never give anything by mouth to an unconscious person. IF IN EYES, flush with water for 15 minutes and get medical attention. IF ON SKIN, wash with soap and water.

TOXICOLOGICAL INFORMATION: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection only is an antidote.

STORAGE: Keep product in original container. Store in a cool, dry place away from food.

DISPOSAL: Do not re-use container. Wrap container and dispose of in regular garbage.

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

*Dursban is a registered trademark of DowElanco.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))