

18-MAR-2005

29-JAN-2008 Notification - Change in Registrant

**GREEN EARTH
LIME SULPHUR
Concentrate**

INSECTICIDE - FUNGICIDE

For both dormant and summer season use
for fruits, roses and
other ornamental plants

DOMESTIC

REG. NO. 7386.06 P.C.P. ACT

GUARANTEE: Sulphide Sulphur 23%

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

500ml (1 L, 1.25 L)

Notification Change

~~Spectrum Brands IP Inc.
10 Craig St.,
Brantford, ON
N3R 7J1~~

Sure-Gro IP Inc.
P.O. Box 21001
Brantford ON
N3R 7W9

DIRECTIONS FOR USE:

SHAKE WELL BEFORE USING: Lime Sulphur should mainly be used as a DORMANT SPRAY to clean up overwintering insects and disease infections. During the summer further applications with Lime Sulphur or Green Earth's Insecticides or Fungicides are necessary to keep plants free from pests. Lime Sulphur may only be mixed with Green Earth Horticulture Oil Insect Spray, not with any other products. Do not apply during or shortly before temperature reaches 27°C or higher. Shake spray solution while spraying. Lime Sulphur stains painted wood, brick and stone. Prevent from freezing.

FRUIT TREES: As Dormant Spray, apply before buds break, to control Blister and Rust Mites, Scale insects, Pear Scale, Red Mite eggs, Aphid eggs, Twig Borer, Plum Black Knot and Peach Leaf Curl, mix 100 mL in 1 L of water (1/2 of this one litre container in 5 L of water).

APPLE AND PEAR: During summer use 15 mL (1 tablespoonful) per L of water just before and again after blossoming to control powdery mildew, apple and pear scab; repeat 10 and 20 days after end of blossoming. Do not apply on plum in leaf and never on apricot. **The apple variety "Delicious" may be injured by summer spraying with Lime Sulphur.**

RASPBERRY, BLACKBERRY AND LOGANBERRY: To control rust, anthracnose, cane and spur blight, apply 100 mL in 1 L of water when buds break.

CURRENT, GOOSEBERRY: To control mildew, rust and scale insects apply 100 mL in 1 L of water just before buds break. Apply 60 mL (4 tablespoonfuls) in 3 L of water just before blossoms open and repeat weekly after bloom until fruit colours. May be used up to 1 day before harvest.

ROSES: To control Rose scale, canker and black spot make dormant application before buds break, using 100 mL in 1 L of water. For black spot and mildew during summer use 5 mL (1 teaspoonful) in 3 L of water every one to two weeks.

TREES AND SHRUBS: As Dormant Spray to control scale insects on bark and needles, also Maple gall mite, use 100 mL in 1 L of water; for Spruce gall aphid use 30 mL (2 tablespoonfuls) in 1 L of water before new growth starts.

COMBINATION DORMANT SPRAY: Fruit trees, roses and deciduous ornamentals. For overwintering insects, eggs, oyster shell scale, San José scale, rose scale, black scale as well as overwintering fungus disease: Mix 120 mL (8 tablespoonfuls) Green Earth Lime Sulphur and 60 mL (4 tablespoonfuls) Green Earth Horticulture Oil Insect Spray in 3 L of water.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid contact with eyes and skin. Wash after use. Avoid staining clothing and skin.

FIRST AID: **If in contact with eyes**, rinse with plenty of water for 15 minutes and get medical attention. **If in contact with skin**, wash with water and apply vinegar. **If swallowed**, give patient one or two glasses of water and INDUCE VOMITING by touching back of the throat with a finger or blunt object; repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person. Contact a physician or Poison Control Centre IMMEDIATELY. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: Do not reuse empty container. Dispose of empty container with regular garbage.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.

www.greenearth.ca

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.