

96.12.23

REFCO - Q - SAN

DISINFECTANT - SANITIZER - FUNGICIDE - DEODORIZER

GUARANTEE

ALKYL (C12 40%, C14 50%, C16 10%) DIMETHYL
BENZYL AMMONIUM CHLORIDES..... 3.000%
OCTYL DECYL DIMETHYL AMMONIUM CHLORIDE... 2.250%
DIDECYL DIMETHYL AMMONIUM CHLORIDE..... 1.35%
DIOCTYL DIMETHYL AMMONIUM CHLORIDE..... 0.90%

READ THE LABEL BEFORE USING

REGISTRATION NO 20175

PEST CONTROL PRODUCTS ACT

FOR INDUSTRIAL USE ONLY

NET CONTENTS

REFCO
2210 Drew Road
Mississauga, Ontario
L5S 1B1

THIS PRODUCT IS SPECIALLY FORMULATED FOR
USE IN FOOD PROCESSING ESTABLISHMENTS

- DESCRIPTION -

REFCO-Q-SAN is a powerful sanitizer for your food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sinktops, countertops, refrigerated storage, display equipment and other hard non-porous surfaces. It is an efficient third sink sanitizer.

NO POTABLE WATER RINSE IS REQUIRED

REFCO-Q-SAN is efficient disinfectant for your floors, walls, countertops, bathing area, lavatories, bedframes, tables, chairs, garbage pails and other non porous surfaces.

REFCO-Q-SAN when used as directed is effective against Pseudomonas aeruginosa, Staphylococcus aureus and Salmonella

choleraesuis. It is also an effective fungicide against Trichophyton mentagrophytes (athlete's foot).

PRECAUTIONS: Corrosive to the eye, may cause skin irritation. Harmful if swallowed. Avoid eye and skin contact.

FIRST AID: In case of contact, flush eyes or skin with plenty of water. For eyes, call a physician. Remove and wash contaminated clothing before re-use. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available drink large quantities of water. Call a physician or poison control centre immediately. Do not induce vomiting.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression & convulsion may be needed.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control under unsafe conditions.

- DIRECTIONS FOR USE -

SANITIZING: Wash and rinse all articles thoroughly, then apply a solution of 2 mL REFCO-Q-SAN per litre of water. Surfaces should remain wet for at least 10 minutes. No potable water rinse required.

For third sink sanitizing	2 mL per litre of water
Disinfection	6 mL per litre of water

(Apply to previously cleaned hard surface)

- NO POTABLE WATER RINSE REQUIRED

-

* KEEP FROM FREEZING *

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.

5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))