04-MAR-1998

BLACK FLAG®

NO CFC'S

FLEA
KILLER
FOR HOME AND PET

KILLS FLEAS ON CONTACT

Breaks the flea life cycle

READ LABEL BEFORE USING.

PRESSURIZED / DOMESTIC

325 g

CAUTION EXPLOSIVE

GUARANTEE: D-Trans Allethrin 0.3%
Piperonyl Butoxide (tech.) 0.6%
N-Octyl Bicycloheptene Dicarboximide 1.0%

REG. NO. 19016 PCP ACT

Notification Change

The Clorox Company of Canada Ltd.

Moosejaw, Saskatchewan S6H 4N7

Toronto, Ontario M2M 4K2

DIRECTIONS: SHAKE WELL BEFORE USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

HOUSEHOLD APPLICATION TO KILL FLEAS: Thoroughly apply as a spot treatment to infested areas such as pet's beds and resting quarters, nearby cracks and crevices, along and behind baseboards and localized areas of floor and floor coverings and carpets where these pests may be present. Replace bedding material after spreading.

TO KILL FLEAS ON DOGS AND CATS: Hold can 25-30 cm from pet and spray entire body beginning at tail and working towards the head. Do not spray face, eyes or genitals. As you spray, fluff the hair so that spray will penetrate to the skin but spray only until hair is damp, not water. To kill American dog and brown dog ticks, spray ticks directly. Repeat as needed. For effective flea and tick control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets and furniture (discard vacuum bag after use and wash the pet's bedding, living quarters and surrounding areas. If pest problems persist, an insecticidal premise treatment may be required.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes and clothing. Avoid inhalation of spray mist. Consult a veterinarian before using on pregnant animals, sick animals, or animals under drug or other pesticide treatment. Do not use on nursing animals or animals under 8 weeks of age. Discontinue use if adverse effects are observed. Cover or remove exposed foods and utensils before spraying. Remove fish bowls and bird cages before spraying. Do not use in rooms where infants, ill or aged persons are confined. Wash hands after using. Do not store or use near heat or open flame. Do not puncture or incinerate container or store at temperature over 50EC. Avoid freezing.

FIRST AID: If on skin, wash immediately with soap and water. If in eyes, flush with clean water for 15 minutes, call a physician. If ingested, DO NOT induce vomiting. Contact a physician or poison control centre immediately.

DISPOSAL: When the container is empty, press button to release all pressure, then wrap and discard in household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.