MASTER LABEL

FURADAN(R) CR-10

SYSTEMIC INSECTICIDE

Contains Carbofuran

COMMERCIAL

NET WEIGHT _____ KILOGRAMS

GUARANTEE: Carbofuran 10%

REGISTRATION NO. 18175 PEST CONTROL PRODUCTS ACT

FURADAN(R) is a registered trademark of FMC Corporation

DANGER POISON

KEEP OUT OF REACH OF CHILDREN (See Rear Panel for Additional Danger Statements)

READ THE LABEL BEFORE USING

FMC CORPORATION Agricultural Chemical Group 2000 Market Street Philadelphia, Pennsylvania 19103 USA

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DIRECTIONS FOR USE

Read entire label and follow directions closely. Do not handle this product with bare hands.

CROP	INSECT	DOSAGE FURADAN CR-10	REMARKS
Rape and Mustard	Flea Beetles	2.8 kg/ha.	For maximum flea beetle control, apply a mixture of BAN CR-10 and seed preferably with a hoe or press drill. Do not use disc-type seeding equipment. Harrowing after seeding causes loss of efficacy. Mix 2.8 kg of FURADAN CR-10 with the seed to be sown per ha. Example: If 7.75 kg of seed is sown per hectare, mix with 2.8 kg of BAN (total weight 10.55 kg). The FURADAN granules and seed should be thoroughly mixed using a customary mechanical method. BEFORE SEEDING, ADJUST THE FLOW FROM THE SPOUTS SO THAT THE REQUIRED WEIGHT OF SEED AND -AH CR-10 IS SOWN PER HECTARE. Check fields shortly after rape emerges. Under certain conditions, a follow-up foliar treatment may be necessary. BAN 480 Flowable and GUTHION are insecticides which may be used. If seed decay, seedling blight, and damping-off diseases are a problem, treat seed with a recommended fungicide.

DANGER

Poisonous by swallowing or inhalation. Do not breathe dust. Do not get in eyes. Wear goggles when exposed to dust. In case breathing of dust during handling cannot be avoided, use a respirator of a type suitable for BAN protection such as American Optical Respirator 6058 (filter-cartridges R58) or Willson Agritox Respirator (Cartridge 11P, filter R553). Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Do not contaminate feed or foodstuffs. Keep out of areas inhabited by fish, birds and wildlife, as this product is highly toxic to such animals.

POISON

Call a doctor in case of accident
KEEP OUT OF REACH OF CHILDREN

FOR EMERGENCY ASSISTANCE CALL 716-735-3765

FIRST AID

IF SWALLOWED, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF INHALED, remove victim to fresh air. Have victim lie down and remain quiet. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF IN EYES, flush with plenty of water for at least 15 minutes. Get medical attention.

IF ON SKIN. In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

TOXICOLOGICAL INFORMATION: Symptoms of poisoning are headache, light-headedness, weakness, nausea, constriction of pupils, blurred vision, cramps, salivation, diarrhea, vomiting. Furadan is a reversible cholinesterase inhibitor. Do not use oximes such as 2-PAM. Start by giving 2 mg. atropine intramuscularly. According to clinical response, continue until signs of atropinization occur (dry mouth or dilated pupils). If in eyes, instill one drop of homatropine.

DISPOSAL OF EMPTY CONTAINER: Do not reuse the container. Completely empty the contents and bury the unused chemical at least 0.5 m deep in an isolated location away from any water supply. Burn the empty container completely. Exercise caution and stay well away from the smoke.

NOTICE

Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use of handling of this product and accepts the product on that condition.

Made	and	Printed	in	U.S.A.

EPA Est. 279-____

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA

does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))