

## **SUPERIOR OIL CONCENTRATE A Spray Tank Adjuvant**

AGRICULTURAL

For use with tank mixes of FUSILADE<sup>®</sup> II 125 EC and Sethoxydim 184 g/L (POAST<sup>®</sup>), and use with Atrazine formulations in corn.

**GUARANTEE:**

Mineral Oil .....	83%
Surfactant Blend .....	17%

**READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN**

REGISTRATION NO. **14303**  
PEST CONTROL PRODUCTS ACT

NET CONTENTS: **20 L, 200 L**

**Syngenta Crop Protection Canada, Inc.**  
140 Research Lane  
Research Park, University of Guelph  
Guelph, Ontario  
N1G 4Z3

A93/A-3

## NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

## NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and, subject thereto the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

## FIRST AID

**IN CASE OF POISONING**, contact a physician or a poison control centre **IMMEDIATELY**. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**DANGER** - this product contains a petroleum distillate, therefore, **if swallowed**, DO NOT induce vomiting. If patient is unconscious, give air. Obtain medical attention or contact poison control centre immediately.

**If on skin:** wash with soap and water. If irritation develops and persists, get medical attention.

**If in eyes:** flush with clean water for 15 minutes. Get medical attention.

## TOXICOLOGICAL INFORMATION

This product contains materials that may cause severe pneumonitis if aspirated. If ingestion has occurred less than 2 hours earlier, carry out careful gastric lavage. Treat symptomatically.

Treat symptomatically for skin and eye irritation.

## PRECAUTIONS

Do not breathe spray mist. Keep product away from fire, open flame, lighted electric bulbs and other sources of heat. Do not allow water to be introduced to contents of this container.

## STORAGE

Store away from food and feed and all sources of heat. Keep container closed. Do not allow water to be introduced to the contents of this container.

## SPILL CLEANUP

1. Spread a suitable absorbent such as clay or other absorbent on the liquid spilled on hard

surfaces.

2. Place sweepings in an open drum.
3. Generously cover the contaminated area with a common household detergent. Using a stiff brush, work the detergent into the spill material using sufficient water to form a slurry. Brush the slurry into cracks and crevices, and allow to stand for 2 to 3 minutes.
4. Spread a suitable absorbent such as clay or other absorbent on the slurred liquid, and shovel the absorbed material into an open drum.
5. Repeat if necessary.
6. Flush area with water, while observing proper environmental precautions.
7. Seal drum and dispose of contaminated material in accordance with municipal or provincial recommendations. See DISPOSAL section.

## **DECONTAMINATION AND DISPOSAL**

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

### **CONTAINER DISPOSAL:**

#### **FOR DISPOSAL OF PLASTIC JUGS:**

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

***IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING  
CALL 1-800-327-8633 (FASTMED)***

## **PRODUCT INFORMATION**

Superior Oil Concentrate is an emulsifiable oil product. It is designed for use as a spray tank adjuvant for use with tank mixes of FUSILADE® II 125 EC and Sethoxydim® 184 g/L (POAST) on canola, flax and soybeans, or atrazine formulations for improved atrazine performance on emerged broadleaf weeds and annual grasses in corn.

## **DIRECTIONS FOR USE**

### **FUSILADE II 125 EC/Sethoxydim 184 g/L Tank Mix**

Thoroughly clean the sprayer by flushing the system with water containing a detergent. Fill the cleaned spray tank half full with clean water. Start agitation system. Add the required amount of

FUSILADE II 125 EC, and agitate for 2 to 3 minutes. Then add the required amount of Sethoxydim 184 g/L, and continue agitation. Add the required amount of Superior Oil Concentrate, and continue to agitate while filling the rest of the tank with water. Refer to FUSILADE II 125 EC for more details on mixing Superior Oil Concentrate.

#### **FOR USE WITH ATRAZINE FORMULATIONS ON CORN**

**PRECAUTIONS:** Care should be exercised when Superior Oil Concentrate is applied to new varieties or highly inbred lines not previously treated with spray tank adjuvants. Care is recommended when sprays are applied under very hot, humid conditions; cold weather or under circumstances when herbicides tend to be more active. In new uses, it is recommended that small test areas be treated before undertaking large scale application.

**MIXING INSTRUCTIONS:** Fill spray tank 1/2 full, add the desired amount of herbicide and continue filling. Add the Superior Oil Concentrate last. After filling continue agitation.

**CORN (Field or Sweet):** Broadcast or overall post-emergence spray with atrazine and Superior Oil Concentrate. Apply to emerged broadleaf weeds and grasses before they are 4 cm in height and before 21 days from date of planting. Add 1.25 L of Superior Oil Concentrate per 100 L of water. Apply the amount of atrazine recommended on the label of the atrazine product.

FUSILADE is a registered trademark of a Syngenta Group Company  
POAST is a registered trademark of BASF AG, Germany

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+) )