

96.07.23

((LABEL))

NET CONTENTS:
2 LITRES
(70.4 FL. OZ.)

AgrEvo
A Company of Hoechst and NOR-AM

ACCLAIM(TM)

FOR SELECTIVE CONTROL OF ANNUAL GRASSES IN TURFGRASSES

COMMERCIAL

WARNING - EYE IRRITANT

CAUTION - SKIN IRRITANT

TRIPLE RINSE

GUARANTEE:
FENOXAPROP ETHYL
90 GRAMS PER LITRE
(0.9 LBS/GAL)

REGISTRATION NO.: 21027
PEST CONTROL PRODUCTS ACT

READ LABEL AND ATTACHED PAMPHLET BEFORE USE

AgrEvo Canada Inc.
295 Henderson Drive
REGINA, SASKATCHEWAN
S4N 6C2
Telephone: 1-800-667-5959

PRECAUTION : KEEP OUT OF REACH OF CHILDREN. MAY CAUSE EYE DAMAGE. AVOID CONTACT WITH EYES, SKIN, OR CLOTHING. AVOID BREATHING SPRAY MIST. TO MINIMIZE EXPOSURE, THE FOLLOWING PRECAUTIONS SHOULD BE FOLLOWED WHEN USING ACCLAIM SUPER:

- Wear protective clothing such as coveralls, a long-sleeved shirt and impermeable rubber gloves.
- DO NOT handle product with bare hands. Impermeable gloves significantly reduce hand exposure. It is important to wear gloves for mixing/loading operation and when making sprayer and nozzle repairs and adjustments. DO NOT use leather or cloth gloves.
- Rinse gloves with soap and water before removal and wash hands thoroughly before eating, smoking or drinking.

Avoid spray drift to susceptible plants and USE ONLY FOR RECOMMENDED PURPOSES AND AT RECOMMENDED RATES. Keep in original container during storage. TOXIC TO FISH. DO NOT CONTAMINATE water supply, ponds, lakes, streams and irrigation ditches. Keep people and pets off treated area for at least 24 hours or until foliage is dry.

FIRST AID: If swallowed DO NOT induce vomiting but rush patient to nearest hospital taking this label with you or contact a poison control centre. In case of skin contact, remove contaminated clothing and wash skin thoroughly with soap and water. If splashed in eyes, flush with plenty of water for 15 minutes and take patient to hospital at once, taking this labelled container with you or contact a poison control centre. If inhaled, remove patient from site of exposure. This product contains PETROLEUM DISTILLATES.

CONTAINER DISPOSAL: 1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank. 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. 3. Make the empty container unsuitable for further use. 4. Dispose of the container in accordance with provincial requirements. 5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use and handling of this product and accepts the product on that condition.

ACCLAIM is a Registered Trademark of Hoechst Schering AgrEvo GmbH, Germany

Logo and AgrEvo Trademarks applied for.

((PAMPHLET))

AgrEvo
A company of Hoechst and NOR-AM

NET CONTENTS:
2 LITRES
(70.4 fl. oz.)

ACCLAIM(TM)

FOR SELECTIVE CONTROL OF ANNUAL
GRASSES IN TURFGRASSES

WARNING - EYE IRRITANT

CAUTION - SKIN IRRITANT

TRIPLE RINSE

COMMERCIAL

GUARANTEE:
FENOXAPROP ETHYL
90 GRAMS PER LITRE
(0.9 LBS/GAL)

REGISTRATION NO.: 21027
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

AgrEvo Canada Inc.
295 Henderson Drive
REGINA, SASKATCHEWAN
S4N 6C2
Telephone: 1-800-667-5959 (Toll Free)

PT# LA-A 07/96s

DIRECTIONS FOR USE

GENERAL INFORMATION

ACCLAIM is a specially formulated herbicide for the selective, post-emergence control of annual grassy weeds in several established turfgrass species. ACCLAIM does not control broadleaf plants and is not injurious to ornamental plants, trees and shrubs.

ACCLAIM may be applied to all cultivars of the following turfgrass species:

- Seedling and mature perennial ryegrass.
- Seedling and mature fine fescue.
- Kentucky bluegrass established a minimum of nine calendar months.

NOTE: ACCLAIM applied to Kentucky bluegrass established 9 - 12 months may result in suppression of growth and a lightening of the turf species. These symptoms will be rapidly outgrown.

DO NOT APPLY ACCLAIM TO BENTGRASS OR SEEDLING KENTUCKY BLUEGRASS.

Since ACCLAIM is absorbed primarily through the foliage and translocation occurs from leaf tips to the growing point, thorough coverage is essential. Visual injury to the grassy weed is evident 5 - 10 days after treatment (depending on environmental conditions) with complete control taking 14 - 21 days. Visible effects begin with general chlorosis and purpling of the leaf surface followed by death of the weed.

SUSCEPTIBLE WEEDS:

Smooth and hairy crabgrass, green and yellow foxtail, barnyard grass and witch grass.

TIME AND RATE OF APPLICATION:

Apply ACCLAIM when the grassy weeds are present and actively growing. For best results, apply ACCLAIM to grassy weeds in the 1 leaf to 4 leaf plus 3 tiller stage. Multi-tillered or heading grassy weeds may be sprayed and providing adequate coverage is attained, good efficacy will result. Heavy monostands of mature or maturing annual grassy weeds may require a second application 21 days after the first application to achieve complete control. Second applications may cause an initial slight reduction in turf vigour.

I N S E R T D I A G R A M H E R E

Optimum ACCLAIM Application

ACCLAIM may be applied Ensure adequate coverage

Weeds Controlled	Rate of Application	Time of Application	Comments
Smooth crabgrass Hairy crabgrass Foxtail species Witch grass Barnyard grass	22 mL/100 square metres (0.75 fl oz/1000 square feet)	1 leaf to 4 leaf plus 3 tillers and Multi-tillered to heading	Ensure adequate coverage.
		Second application to mature monostands	In heavy mono-stands a second application may be made a minimum of 21 days after the first.

NOTE: ACCLAIM has no soil activity. Annual grassy weeds germinating after ACCLAIM application will require a second application. This should not occur before 21 days has elapsed since the first application.

METHOD OF APPLICATION

Best results are achieved with flat fan nozzles which produce fine droplet size and ensure good coverage.

COMPLETE TARGET COVERAGE IS ESSENTIAL FOR COMPLETE CONTROL.

Application with flat fan nozzles should be made in 400 to 800 litres of water per hectare or 4 to 8 litres of water per 100 square metres. (1 to 2 gallons per 1000 square feet) at a pressure of 140 to 275 kPa (20 to 40 p.s.i.).

For best results ensure thorough coverage.

ACCLAIM must be applied by licensed applicators only.

DO NOT APPLY BY AIRCRAFT.

For applications made with a hand held pump sprayer add 6.0 mL (0.2 fl. oz) of product 1 to 4 litres (35 to 140 fl. oz.) of water and cover an area of 24 square metres. (260 square feet).

Applications with pressurized hydraulic spray systems using a hand held gun or wand should be made in 800 litres of water per hectare or 8 litres of water per 100 square metres (2 gallons per 1000 square feet) at a pressure of 200 to 400 kPa (30 to 60 p.s.i.).

Apply when weeds are actively growing. DO NOT apply if rain is expected within three hours of application. DO NOT water or

irrigate for three hours after application.

MOWING INFORMATION

ACCLAIM is a systemic herbicide. For optimum activity, spray when maximum leaf area is present. Leaf clippings interfere with thorough spray coverage of the target weeds. DO NOT CUT GRASS FOR 4 DAYS BEFORE OR AFTER APPLICATION.

CAUTION

DO NOT spray during periods where grassy weeds are under drought stress and visibly wilted as poor control will result.

CAUTION

DO NOT tank-mix ACCLAIM with any herbicide or other pesticide.

CAUTION

Start with a clean spray tank. Clean the spraying system with household ammonia before mixing and spraying ACCLAIM.

CAUTION

DO NOT spray a broadleaf herbicide on a turf species 7 days prior to or 7 days after an ACCLAIM application.

TANK-MIXES WITH WATER SOLUBLE FERTILIZER

ACCLAIM may be tank-mixed and applied with water soluble turf fertilizers such as 16-2-6, 20-0-7 or 35-5-10. Consult the turf fertilizer label for correct fertilizer rate. When mixing ACCLAIM with a turf fertilizer, ensure that the fertilizer is added first to the spray tank. The fertilizer should be totally dissolved prior to adding the ACCLAIM herbicide. To ensure adequate mixing, agitate the solution. Apply this mix in 8 litres per 100 square metres (2 gallons per 1000 square feet). If applied in conditions of stress, this mix may result in a slight reduction of overall grassy weed control.

STORAGE

CANNOT be stored below freezing. If stored for one year or longer, shake vigorously before using. Store the tightly closed container away from seeds, fertilizer, plants and foodstuffs. Keep in original container during storage.

WASTE DISPOSAL

Empty containers should be triple rinsed into the spray tank prior to the spray operation. The spray solution should be sprayed out over adjacent land, NOT OVER AREA JUST SPRAYED, away from water supplies, ditches and irrigation canals.

CONTAINER DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

PRECAUTION

KEEP OUT OF REACH OF CHILDREN. MAY CAUSE EYE DAMAGE. AVOID CONTACT WITH EYES, SKIN, OR CLOTHING. AVOID BREATHING SPRAY MIST. TO MINIMIZE EXPOSURE, THE FOLLOWING PRECAUTIONS SHOULD BE FOLLOWED WHEN USING ACCLAIM:

- Wear protective clothing such as coveralls, a long-sleeved shirt and impermeable rubber gloves.
- DO NOT handle product with bare hands. Impermeable gloves significantly reduce hand exposure. It is important to wear gloves for mixing/loading operation and when making sprayer and nozzle repairs and adjustments. DO NOT use leather or cloth gloves.
- Rinse gloves with soap and water before removal and wash hands thoroughly before eating, smoking or drinking.

Avoid spray drift to susceptible plants and USE ONLY FOR RECOMMENDED PURPOSES AND AT RECOMMENDED RATES. Keep in original container during storage. TOXIC TO FISH. DO NOT contaminate water supply, ponds, lakes, streams and irrigation ditches.

FIRST AID

If swallowed DO NOT INDUCE VOMITING but rush patient to nearest hospital taking this label with you or contact a poison control centre. In case of skin contact, remove contaminated clothing and wash skin thoroughly with soap and water. If splashed in eyes, flush with plenty of water for 15 minutes and take patient to hospital at once, taking this labelled container with you or contact a poison control centre. If inhaled, remove patient from site of exposure. This product contains PETROLEUM DISTILLATES.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offense under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use and handling of this product and accepts the product on that condition.

FOR MORE INFORMATION CONTACT:

AgrEvo Canada Inc.
295 Henderson Drive
Regina, Saskatchewan
S4N 6C2
Telephone: 1-800-667-5959 Toll Free

[logo] and AgrEvo are Trademarks Applied for.
Acclaim is a Registered Trademark of Hoechst Schering AgrEvo GmbH, Germany

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))