

TOP TEST INSECT SPRAY - COMMERCIAL

Contains 0.17% Pyrethrins a botanical insecticide derived from the Chrysanthemum flower.

A ready to use concentrated insecticide for Food Processors

NET CONTENTS: 20 L

KEEP OUT OF REACH OF CHILDREN

READ LABEL BEFORE USING

REG.NO 27944 PEST CONTROL PRODUCTS ACT

GUARANTEE Pyrethrins 0.17%

Piperonyl Butoxide 1.7%

DITCHLING CORPORATION LIMITED

P. O. Box 354, Cobourg, ON. K9A 4K8

ditchlingcorp@nhb.com

DIRECTIONS:

FOR CONTROL OF CRAWLING INSECTS

Ants, Roaches, Silverfish, Spiders, Grain Insects:

To kill the exposed stages of these insects use **TOP TEST INSECT SPRAY** Insect Spray. Spray infested areas, paying particular attention to cracks, crevices, baseboards, moldings and other hiding places. Spray the undersides of tabletops, production equipment and shelving. Treat infested areas around sinks, refrigerators, etc. Apply also around pipe openings through walls, floors, ceilings, and open cracks between tiles. Treatment should be continued until infestation ceases after which weekly treatments should be carried out as a preventative measure.

TOP TEST INSECT SPRAY Insect Spray should be applied with a good quality hand sprayer of the continuous type. It may also be applied with a paint brush.

NOTE: This product is not for use as a broadcast application.

FOR CONTROL OF FLYING INSECTS:

Flies, Mosquitoes, Biting Midges, Wasps, Moths, Small flying insects.

Space Spray: Use 32 mL **TOP TEST INSECT SPRAY** insect spray per 100 cubic metres. Remove all animals from treatment area before using a space spray. Close all doors and windows and shut off ventilating systems. **TOP TEST INSECT SPRAY** Insect Spray should be sprayed freely upwards towards the ceiling so as to contact as many insects as possible. Direct spray upwards to all parts of the room especially windows and other light sources. Also direct mist into areas where insects are present. Spray only when temperature is below 32°C. Keep area sealed for 30 minutes after treatment. Do NOT remain in treated areas. Ventilate treated areas for at least 30 minutes before re-entry. If insects have not dropped, repeat treatment using increased pressure in the sprayer so as to produce finer droplets which will remain suspended for a longer period of time.

Indoor Fogging: Use 32 mL **TOP TEST INSECT SPRAY** insect spray per 100 cubic metres using misting or fogging machine. Ventilating systems must be shut down. All fires, flames and pilot lights must be extinguished and shut off. All electrical equipment that might function during misting or fogging operations must be turned off. All external doors, windows and other openings, except the one providing the updraught, must be closed. All internal doors and openings must be left open to provide free passage of the mist or fog and to avoid build-up of concentrated mist or fog.

IMPORTANT: When using a Fogger, Mister or ULV generator the equipment must be operated and maintained in accordance with the manufacturer's manual and recommendations.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN.

Avoid inhaling spray mist. Avoid contact with skin, eyes, and clothing. Wash after use. Do NOT remain in treated areas. Ensure proper ventilation after sealed areas have been treated. In meat packing and processing plants, including Federally inspected meat plants, and other food processing plants. Spray only when the plant is not in operation. No exposed meat products, ingredients or packaging materials to be left in the room, and cover food handling equipment. Keep areas tightly closed for 30 minutes. Ventilate for 30 minutes before re-entry. Any treated surfaces that may contact meat food products or other food products should be washed and rinsed thoroughly with potable water after spraying and before re-use for food processing. **DO NOT USE ON OR NEAR FOOD. DO NOT CONTAMINATE ANY BODY OF WATER. PRODUCT TOXIC TO FISH. DO NOT SPRAY OR FOG IN PRESENCE OF OPEN FLAME (INCLUDING PILOT LIGHTS) OR SPARK, OR WHILE SMOKING. TURN OFF ELECTRIC HEATING ELEMENTS.**

FIRST AID:

If in eyes, flush with plenty of water. If on skin, wash with soap and water. This control product contains Petroleum Distillate. If swallowed, do NOT induce vomiting. If patient is unconscious give him air, call a Poison Control Centre or get prompt medical attention. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL AND DECONTAMINATION:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or

the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label, and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.