

16-DEC-1997

WATER SOLUBLE

DIPHACINONE

RODENTICIDE CONCENTRATE

COMMERCIAL

KILLS RATS AND MICE

GUARANTEE: SODIUM SALT OF DIPHACINONE 0.106%

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO. 19841 PEST CONTROL PRODUCTS ACT

NET CONTENTS: Kg.

MANUFACTURED BY:

MOTOMCO LTD.

Box 8422

Madison, WI 53708

U.S.A.

#### DIRECTIONS

HOW TO PREPARE: Dissolve 15 mL in 1 L of water. Pour liquid bait in glass, plastic or crockery dishes or chicken founts. Note: metal containers are not recommended.

HOW TO USE: Place bait in location where rats and mice feed and travel. Baiting should be maintained continuously as long as any evidence of feeding is observed. Average kill times are from 6 to 14 days, but some feeding may continue to the fourth week.

For areas not directly related to food processing: Use only in non-food or non-feed areas where feed, food, packaging and handling equipment are never opened or exposed.

For areas where feed or food is processed, served or stored: In meat and food processing plants (processing areas) use only when plant is not in operation. Remove or cover all food, packaging material and utensils before placing bait in baiting stations. Remove all baits and dead rodents before re-use of the plant. (Processing areas include storage and service).

FOR NORWAY RATS (*Rattus norvegicus*) and ROOF RATS (*Rattus rattus*): Minimum of 570 mL of liquid should be placed in several locations, such as along walls, in corners, and where they can drink unobserved. Liquid station should be maintained in an uninterrupted supply for at least 10 days.

FOR HOUSE MICE (*Mus musculus*): Minimum of 570 mL of liquid should be placed at 2-3 meter intervals. Mice travel shorter distances than rats and are more difficult to control. Liquid stations should be maintained in an uninterrupted supply for at least 15 days.

IMPORTANT: Bait placements should be examined regularly and replenished before completely empty. Should baits become sour or moldy, they must be replaced. Where reinfestation is likely, permanent bait stations should be used and bait placed in them as often as necessary.

#### NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

#### PRECAUTIONS

KEEP AWAY FROM CHILDREN, PETS, DOMESTIC ANIMALS AND WILDLIFE. Treated baits should be placed in locations not accessible to children, dogs, domestic animals, and wildlife or in tamper-resistant bait stations. Keep away from feed or food stuffs. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after handling and before eating or smoking. Keep out of lakes, streams or ponds.

#### FIRST AID

If in eyes, flush with water for 15 minutes. If on skin, wash with soap and water. If swallowed, give patient one or two

glasses of water and induce vomiting by touching back of throat with a finger or blunt object; repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person. Contact a physician or Poison Control Centre immediately.

TOXICOLOGICAL INFORMATION:

If swallowed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. Vitamin K1 in the form of intravenous, intra-muscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anti-coagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

DISPOSAL

Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

Rodent Disposal: Dispose of dead rodents in garbage or by burying.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))