

14-AUG-1995
Expires - 31-DEC-2002

3M

**30 Day Yard
Spray Concentrate**

GUARANTEE
Chlorpyrifos 1.7%

REG. NO. 24882
P.C.P. ACT

DOMESTIC

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

887 mL

3M Canada Inc.,
London, Ontario N6A 4T1

N° 1459

3M 30 Day Yard Spray CONCENTRATE is a concentrated formulation of microencapsulated "Dursban" for residual control of fleas and ticks on lawn and kennel areas.

WARRANTY:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes all risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

**FOR MORE INFORMATION CALL
1-800-265-9053**

**3M
Health Care Products and Services Division**

**3M Canada Inc.,
London, Ontario N6A 4T1**

Contents manufactured in Canada, packaged in U.S.A.

Contains microencapsulated "Dursban" insecticide for residual control of dog and cat fleas and American and brown dog ticks on lawns, concrete and kennels.

3M 30 Day Yard Spray CONCENTRATE is a concentrated formulation of microencapsulated "Dursban" for residual control of fleas and ticks on lawn and kennel areas. The product can be conveniently applied with pump-up tank sprayers or with a garden hose spray attachment. The microcapsules provide a "timed-release" mechanism for the active ingredient chlorpyrifos, to provide long-lasting control of fleas.

SHAKE WELL BEFORE AND DURING USE

DIRECTIONS FOR USE:

IN YARDS - Use 60 mL (2 fl oz) of concentrate in 4 litres of water for every 15 square metres (160 sq ft) of turf area and around outdoor resting and play areas of pets.

Use a coarse, low-pressure spray in a smooth back and forth motion to uniformly apply product. Repeat treatment if reinfestation occurs.

FOR KENNELS AND DOG HOUSES - Thoroughly clean kennel floors and kennel/dog-house structures. Animal bedding should be washed and replaced with clean bedding prior to treatment. Mix 600 mL (20 fl. oz.) of concentrate and water to make 4 litres of spray. **Do not use as a space spray.** Using a coarse low-pressure spray with a smooth back and forth motion, apply to kennel and dog-house structures. Thoroughly treat cracks and crevices, and as a spot treatment only to areas of floors and pet resting areas in kennels. This application may reduce the need for the use of topical insecticides to your pet.

For easy application, use the attached 3M Hose End Sprayer and follow these steps.

SHAKE WELL BEFORE USE AND FREQUENTLY DURING USE!

How to use the 3m hose-end sprayer with this product:

Screw the Hose-End Sprayer snugly onto your hose (fig. 1). Make sure the flow switch is in the closed position (fig. 2). Connect the hose to a faucet and turn the water pressure on. Invert the bottle and shake for 20 seconds. Thorough mixing is essential to ensure proper performance. Remove the cap from the bottle. Save the cap. Screw the bottle snugly into the sprayer (fig. 3). Point sprayer away from you. Move the flow switch to the open position to begin spraying (fig. 4). Hold the sprayer at waist level (fig. 5) and slowly sweep the area to be treated. Move at a steady pace. With average water pressure, the bottle should be empty in about 5 minutes. You can stop spraying at any time by returning the flow switch to the closed position. Unscrew the bottle from the sprayer and replace cap on bottle. Unscrew sprayer and rinse before storing. Follow directions on this label for disposal of unused insecticide. Shake the bottle well before restarting application. Follow label directions for disposal of empty container. Please note label precautions.

SHAKE WELL BEFORE USING!

Remove animals during spraying and until surfaces are dry. Not for indoor use in homes or commercial establishments other than for kennel areas.

PRECAUTIONS:

Avoid breathing spray mist. Avoid contact with skin and eyes. Wash hands after handling and before eating. Do not spray directly on pets or humans. Do not contaminate food and water bowls and dispensers or pet feeding areas.

FIRST AID:

If swallowed: Call a physician or Poison Control Centre. Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. Never give anything by mouth to an unconscious person.

If on skin: Remove contaminated clothing and wash skin with soap and water.

If in eyes: Flush eyes with plenty of water. If irritation persists, call physician.

Toxicological information: Chlorpyrifos is a cholinesterase inhibitor, treat symptomatically. Atropine only by injection is an antidote.

Hazards: This product is toxic to fish and birds. Keep out of any body of water. Do not contaminate lakes or streams by cleaning of equipment or disposal of wastes.

Storage and Disposal: Store in original container out of the reach of children. Do not freeze or store above 48EC (120EF). Do not contaminate water, food or feed by storage or disposal. Wrap empty container in newspaper and dispose in household garbage. Do not reuse empty container.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))