

95/2001

FORKEM

COMMERCIAL

D.I.N. 01906771

MICRO

DISINFECTANT, SANITIZER, FUNGICIDE, DEODORANT

FOR HOSPITALS AND THE FOOD INDUSTRY

READ THE LABEL BEFORE USING

GUARANTEE

n-alkyl (5% C12, 60% C14, 30% C16, 5% C18)
dimenthyl benzyl ammonium chlorides 2.25%
n-alkyl (68% C12, 32% C14)
dimethyl ethylbenzyl ammonium chlorides 2.25%

REGISTRATION NO. 21955
PEST CONTROL PRODUCTS ACT

CAUTION CORROSIVE

LOT. _____

NET CONTENT

4 LITRES
20 LITRES
210 LITRES

MADE IN QUEBEC

FORKEM INC.
1875, DE LA NORMANDIE
QUEBEC (Qué.)
G1L 3Y8

MICRO detergent/disinfectant has been designed specifically for hospitals and food processing plants where housekeeping is of prime importance in controlling the hazard of cross contamination.

DISINFECTION: At 16 mL per litre of water, MICRO exhibits effective disinfectant activity against pseudomonas aeruginosa and meets all requirements for hospital use. To disinfect hard surfaces as walls, table tops and floors, apply solution with mop, cloth, sponge or mechanical sprayer as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air dry. To disinfect toilet bowls, flush toilet bowl, add 16 mL MICRO detergent/disinfectant directly to the bowl water. Swab the bowl completely using a scrub brush or toilet mop making sure to get under the rim. Let stand for 10 minutes and flush.

VIRUCIDAL ACTIVITY: MICRO when used on environmental inanimate hard surfaces at 10 mL of MICRO per liter of water exhibits effective virucidal activity against influenza A-2 asian (representative of the common flu virus). Herpes simplex, (causative agent of fever blisters and mononucleosis), adeno virus type 2 (causative agent of upper respiratory infections) and vaccinia virus (representative of the pox virus group).

SANITIZATION: To sanitize previously cleaned and rinsed non-porous food contact surfaces. Prepare a solution of 5 mL of MICRO per liter of water, making sure to wet all surfaces completely for a least 60 seconds. Rinse with potable water. Prepare a fresh solution for each use. To sanitize immobile items, such as tanks, chopping blocks, counter tops, flood the area with a solution of 5 mL of MICRO per liter of water. Rinse with potable water and prepare a fresh solution for each use. To sanitize mobile items such as drinking glasses, eating utensils immerse completely in a solution of 5 mL of MICRO per liter of water for 60 seconds. Remove and rinse with potable water. Prepare a fresh solution daily or more frequently as soil is apparent.

PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of packaged goods.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes and call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatine solution or if unavailable, drink a large quantity of water. AVOID ALCOHOL. Never give anything by mouth to an unconscious person. Call a physician immediately.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contra-indicate the use of gastric lavage. Measures against circulatory shock, respiratory failure and convulsions may be needed.

NOTICE TO USER: This control product is to be used only in

accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))