

12-SEP-2003 Notification received of a label change. See below for this change.

2000/2005

BAYGON®

2% ROACH BAIT INSECTICIDE

FOR CONTROL OF COCKROACHES

DOMESTIC

GUARANTEE: Propoxur*.....2%

*Canadian Patent No. 725,204

REGISTRATION NUMBER 8768 PEST CONTROL PRODUCTS ACT

CAUTION

KEEP OFF REACH OF CHILDREN

(See rear panel for first aid and precautions)

READ THE LABEL BEFORE USING

NET CONTENTS _____ KILOGRAMS

~~BAYER INC.
Agriculture Division, Animal Health
77 Belfield Road
Toronto, Ontario, Canada M9W 1G6~~

SC Johnson and Son Ltd
1 Webster Street
Brantford, ON N3T 5R1

Notification Change

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and, subject hereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

DIRECTIONS FOR USE

BAYGON 2% Bait insecticide is ready-to-use, highly effective product that gives rapid kill of cockroaches. Roaches die in minutes after feeding on the bait.

METHOD OF APPLICATION

Apply bait lightly to floors near baseboards, in closets, under sinks, refrigerators, and in other areas in homes where roaches may hide. Use 125 g/100 m², scattering lightly so that bait is barely visible. Repeat as necessary. Keep out of reach of children.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN.

Do not apply to animals. Do not treat portions of buildings where animals can feed on bait. Do not apply to floors or other surfaces likely to be contacted by children or pets.

May be harmful if swallowed or absorbed through skin. Do not contaminate feed or food. Avoid skin contact. Wash thoroughly after using.

FIRST AID

In case of poisoning call a physician or poison control centre immediately. Have patient lie down and keep quiet. **If swallowed**, vomiting should be induced. Administer milk or water freely and induce vomiting by giving one dose (15 mL) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. The patient should be lying down with the head below the foot level and facing down or to one side. Professional medical assistance should be secured immediately.

DO NOT INDUCE VOMITING TO AN UNCONSCIOUS PERSON OR TO PERSONS IN A CONVULSIVE STATE. **If on skin**, remove contaminated clothing and wash skin immediately with soap and warm water. **If eyes are contaminated**, wash immediately with flowing water for at least 15 minutes.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Propoxur inhibits cholinesterase resulting in stimulation of the central nervous system. This results in a sense of "tightness" in the chest, sweating, contracted pupils, stomach pains, vomiting and diarrhea. The antidote is atropine sulfate administered in large therapeutic doses repeated as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first

sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

DISPOSAL

Do not reuse empty container. Wrap empty container and discard in household garbage.

®BAYGON is a registered trademark of Bayer AG, used under licence by Bayer Inc.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))