

98.05.05

KATHON MWC

A METALWORKING FLUID MICROBICIDE

COMMERCIAL

POISON

CORROSIVE

READ THE LABEL BEFORE USING

GUARANTEE:

5-Chloro-2-methyl-4-isothiazolin-3-one....3.0%
2-Methyl-4-isothiazolin-3-one.....1.0%

REGISTRATION NO. 22904
PEST CONTROL PRODUCTS ACT

NET CONTENTS - 113 KG.

ROHM AND HAAS
CANADA INC.
2 MANSE ROAD
WEST HILL, ONTARIO
M1E 3T9

1-416-284-4711

PRECAUTIONS:

DANGER-CORROSIVE TO EYES AND CAUSES SKIN BURNS
MAY CAUSE ALLERGIC SKIN REACTION
MAY BE HARMFUL IF INHALED
MAY BE FATAL IF SWALLOWED OR ABSORBED THOROUGH THE SKIN

Do not get in eyes, on skin, on clothing. Wear goggles or face

shield and rubber gloves when handling. This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning or equipment or disposal of waters. Apply this product only as specified on this label.

STORAGE:

Do not contaminate water, food or feed by storage or disposal. Open dumping prohibited. If plastic, do not reuse empty container.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Environment Canada.
5. For small spills recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

NOTICE TO USER:

This control product to be used in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the products on that condition.

DIRECTIONS FOR USE

METALWORKING, HYDRAULIC, AND METAL CLEANING FLUID PRESERVATION

Kathon MWC Microbicide is recommended for the control of bacteria

and fungi in soluble, synthetic and semi-synthetic metalworking fluids. Kathon MWC Microbicide is also recommended as a preservative in the manufacture and use of soluble oils, high water-based, and inert emulsion hydraulic fluids, and of alkaline, acid and emulsion-based metal cleaning fluids typically used in electroplating, phosphatizing, galvanizing and general metal cleaning operations.

For the maintenance of a non-fouled system, use Kathon MWC Microbicide at 82 mL per 1000 L of emulsion every 4 weeks or 82-410 mL per 1000 L of emulsion every 8-12 weeks. For a noticeably fouled system, use an initial dose of 164-410 mL per 1000 L of emulsion to be followed by subsequent maintenance dosages depending upon the treatment interval noted above. An increased frequency of treatment interval noted above. An increased frequency of treatment may be required depending upon rate of dilution of the preservative makeup fluid, the nature and severity of contamination, level of control required, filtration effectiveness, system design, etc. The preservative should be dispensed into the use dilution of the metalworking fluid using a metering pump. Kathon MWC Microbicide weighs 1.19 kg per litre.

FIRST AID:

IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

IF INHALED: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IF ON SKIN: Remove contaminated clothing immediately. Wash skin with large quantities of water. Launder clothing before reuse. Call a physician.

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric

lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed. Skin burns and corrosion may be delayed for several hours. Detailed procedures for treatment should be available through Poison Control Centres.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))