85.12.31

## ELSTON

# GOPHER GETTER BAIT

## CONTAINS STRYCHNINE

#### FOR CONTROL OF POCKET GOPHERS

### RESTRICTED

#### GUARANTEE:

STRYCHNINE.....0.35

REGISTRATION NO. 12408

PEST CONTROL PRODUCTS ACT

WARNING POISON

READ THE LABEL BEFORE USING

NET WT. 2.3 KG

DISTRIBUTED BY :

ELSTON RUE R. ELSTON, INC. 706 NORTH WEBER SIOUX FALLS, SD 57103

PHONE 605-336-7716

FAX 605-336-5623

RR#2, SUNDRE, ALBERTA, CANADA, TOM 1X0

# DIRECTIONS FOR USE

This bait is to be used only with mechanical Burrow Builder. To

build a proper burrow the soil must be damp and the Burrow Builder must be scoured. Probe gopher runways with a broomstick or iron bar to determine depth of the gopher runway. Set machine to the same depth. Make artificial runway 7.00 m to 10.00 m apart encompassing the total infested area and then cross the ends. One kg to 2.25 of bait will treat one hectare.

PRECAUTIONS : Do not contaminate feed and foodstuffs. Keep away from children and domestic animals. When empty, all containers and all grain fragments must be burned or buried deeply. May be fatal if swallowed. Baits should be placed in areas inaccessible to children, pets, wildlife. Treated seeds exposed on soil surface may be hazardous to birds and other wildlife. All placements of bait must be under existing or introduced cover of brush or weeds.

FIRST AID INSTRUCTIONS : If less than ten minutes passed since the poison was taken, give a tablespoonful of salt in a glass of warm water. Have victim lie down in a quiet, darkened room and keep him warm. Call a physician immediately!

DISPOSAL : For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Conservation and Protection, Environment Canada.

### TOXICOLOGICAL INFORMATION

SYMPTOMS OF POISONING : convulsions, hyperflexia, heightened acuity to prehension, body arches, fists tightly clenched, jaw (trismus), eye protrude fixed stare, breathing ceases and deep cyanosis, perspiration, and relaxation of symptoms. (1-10 attacks usually occur between death or recovery).

ANTIDOTE AND TREATMENT : After stopping convulsions and after the reflex irritability has been suppressed, a gastric lavage of dilute potassium permanganate (1:5000) is best.

NOTICE TO USER : This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

LIMITATION OF WARRANTY STATEMENT : Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))