

05-APR-2005

29-JAN-2008 Notification - Change in Registrant

**LATER'S
FRUIT-GUARD™
Fruit Tree & Berry Spray**

A multi-purpose spray for controlling and preventing major
insect and disease damage.

DOMESTIC

REG. NO. 17563 P.C.P. ACT

GUARANTEE: carbaryl 10%
captan 10%

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

CAUTION – POISON

250 mL, 500 mL

Notification Change

~~Spectrum Brands IP Inc.
10 Craig St.,
Brantford, ON
N3R 7J1~~

Sure-Gro IP Inc.
P.O. Box 21001
Brantford ON
N3R 7W9

DIRECTIONS FOR USE:

Later's FRUIT-GUARD™ Fruit Tree and Berry Spray controls a wide range of insects and diseases on Apples, Apricots, Cherries, Peaches, Pears, Plums, Blackberries, Blueberries, Loganberries, Raspberries and Strawberries.

5 mL = 1 teaspoon

1 L = 1 quart approx.

HOW TO USE:

Shake well before using. Mix 10 mL of **Later's FRUIT-GUARD™** with 1 L of water. Do not use with products containing emulsifiable concentrates. Do not apply within 7 days before harvest.

FRUIT TREES: Apple, Apricot, Cherry, Peach, Pear and Plum. On Apples and Pears, spray in pre-blossom and after petal fall.

INSECTS: Aphids, Apple Maggots, Caterpillars, Cherry Fruit Flies, Coddling Moths, Leafminers, Leafrollers, Mealybugs, Oriental Fruit Moth, Peach Tree Borers, Pear Slugs, Pear Psylla, Scale Insects, Tarnished Plant Bugs and Woolly Apple Aphids.

To control Borers, thoroughly spray tree limbs and trunk. Repeat at 7 – 10 day intervals, if needed

DISEASES:

Bitter Rot, Black Knot, Black Rot, Brooks Spot, Brown Rot, Bulls Eye Rot, Flyspeck, Frog Eye Leaf Spot, Scab, Shot Hole and Sooty Blotch.

NOTE: Early season sprays may cause injury to the foliage of sensitive apple varieties e.g. Red Delicious and Winesap. Apply to Apple, Pear and other trees anytime insects or damage appears or according to the provincial spray calendar. On Apples and Pears, spray in pre-blossom and after petal fall.

BERRIES:

Blackberry, Blueberry, Loganberry, Raspberry and Strawberry.

INSECTS:

Blackberry Leafminers, Blueberry Maggots, Climbing Cutworms, Cranberry Fruit Worms, Japanese Beetles, Raspberry Aphids, Spittle Bugs, Strawberry Leafhoppers and Strawberry Leafrollers.

DISEASES:

Cane Spot, Fruit Rot, Grey-Mold Rot, Leaf Spot, Mummyberry and Spur Blight.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Never handle material with bare hands. Use rubber gloves; do not use leather or cloth gloves. Wash hands, face and arms thoroughly after handling and before drinking, eating or smoking. Do not breathe spray mist. When handling or applying, wear goggles and clothes that completely covers arms and legs to minimize exposure. Change contaminated clothing and wash thoroughly before reuse. If an accident occurs, remove contaminated clothing immediately and wash contaminated skin thoroughly with soap and water. Wash clothing and gloves before re-use. Always work out of the wind when handling or applying treatments. Keep unprotected persons out of operating area or vicinity where there may be drift. Thoroughly wash treated fruits prior to eating.

FIRST AID: In case of poisoning call a physician or poison control center IMMEDIATELY. **If on skin,** remove contaminated clothing and wash skin thoroughly with soap and water. **If in eyes,** flush with water for 5-10 minutes and obtain medical attention. **If swallowed,** give the patient one or two glasses of water and cause vomiting by giving one dose of syrup of ipecac. If the patient does not vomit within 20 minutes, give a second dose. If syrup of ipecac is not available, give the patient one or two glasses of water and cause vomiting by inserting a finger down the throat. Repeat with water until vomit fluid is clear. The patient should be lying down with the head below the level of the feet. **DO NOT TRY TO CAUSE VOMITING IF THE PATIENT IS UNCONSCIOUS OR IN A CONVULSIVE STATE.** Take container, label or product name and P.C.P. Reg. No. with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Carbaryl is a moderate cholinesterase inhibitor. Atropine is antidotal.

STORAGE: Keep product in original container. Store in a cool, dry place away from food.

DISPOSAL: Do not reuse empty container. Rinse thoroughly and use rinse water with regular spray. Wrap container and discard with household garbage.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.