

87.04.15

Later's

SIDE-KICK(TM) #3

Non-Selective Weed & Grass Killer Herbicide

TREATS 200m²

CAUTION

IRRITANT

DOMESTIC

READ THE LABEL BEFORE USING.

REG. NO. 19906 P.C.P. ACT

GUARANTEE: Glyphosate 143 g/L

KEEP OUT OF REACH OF CHILDREN

Monsanto Canada Inc.
Streetsville P.O. Box 787
Mississauga, Ontario L5M 2G4

DISTRIBUTED BY:

Later Chemicals Ltd.
12080 Horseshoe Way
Richmond, B.C. V7A 4V5

MADE IN CANADA

500 mL

SEE ENCLOSED PAMPHLET FOR DIRECTIONS FOR USE.

SIDE-KICK(TM) #3 Non-Selective Weed & Grass Killer

SIDE-KICK(TM) is a non-selective systemic herbicide that controls most annual and perennial grasses, broadleaf weeds and brush. Partial list of weeds controlled includes quackgrass, chickweed,

ragweed, knotweed, poison ivy, Canada thistle, milkweed, bindweed, alder, poplar, maple and raspberry.

PRECAUTION: MAY CAUSE EYE IRRITATION. HARMFUL IF SWALLOWED. Avoid contact with eyes or prolonged contact with skin. Wash immediately after using this product. Do not contaminate water, foodstuffs, seed or feed by storage or disposal. Dispose of emptied container with household garbage. Do not reuse container.

FIRST AID: Flush skin with water, or if ingested, drink water or milk. If in eyes, immediately flush with plenty of water for at least 15 minutes. Call a physician.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product, and accepts the product on that condition.

NOTE: AVOID SPRAY CONTACT ON DESIRABLE PLANTS AS ANY PLANT MAY BE KILLED BY CONTACT.

DIRECTIONS FOR USE: SIDE-KICK(TM) is a non-selective systemic herbicide that controls most annual and perennial grasses, broadleaf weeds and brush. Partial list of weeds controlled includes quackgrass, chickweed, ragweed, knotweed, poison ivy, Canada thistle, milkweed, bindweed, alder, poplar, maple and raspberry.

This product is absorbed by the leaves and moves throughout the stem and roots to control the entire plant. Visible symptoms may require a week or more to appear, with burndown usually in 2 to 4 weeks. Repeat applications as needed. Symptoms are a gradual deterioration of both shoots and roots. This product has no herbicidal activity in the soil and will not wash or leach to affect nearby vegetation.

This product controls most weeds around buildings, vacant lots, storage and recreational areas, gravel or ground bark mulch; shade trees; along fences, sidewalks, driveways and patios; and prior to planting turfgrasses, shrubs, flower beds or vegetables.

SPRAYING INSTRUCTIONS: Mix 50 mL of this product in 1 L of clean water per 20 metre². Use only with plastic sprayers with a coarse spray. Do not use hose end sprayers. Ensure uniform and complete spray coverage. For isolated patches of weeds and brush, spray to thoroughly wet the foliage. Do not spray weeds and brush to the point that the spray solution runs off. Do not spray during windy conditions, as spray drift may cause damage to any vegetation contacted.

WHEN TO APPLY: Apply to vigorously growing plants. Apply to annual weeds anytime after emergence. For best results, apply to perennial weeds after seedheads, flowers or berries appear. On woody brush or trees, apply after leaves have fully expanded. Treat brush and trees up to 1.5 m height only. For taller brush and trees, cut down and spray the regrowth. Rainfall or watering within 6 hours after application can wash the product off plant foliage, which may require re-treatment. Delay mowing, clipping, tilling, planting or sodding of treated areas for at least 7 days after application.

LAWN RENOVATION: Best results are obtained when at least one mowing is skipped prior to treatment. Delay planting or sodding of treated areas for at least 7 days after application.

ORNAMENTALS/VEGETABLE OR FLOWER GARDENS: Any ornamental, vegetable or flower species may be planted in treated areas 7 days or more after application. Do not apply this product in or around growing vegetables or flowers.

TREES: Apply this product as recommended to control undesirable vegetation growing around ornamentals, trees or shrubs. To avoid injury to desirable plants, prevent spray or drift contact with foliage, stems or green bark. Do not spray into, or over top of growing ornamentals.

Canadian Patent 936,865. Not for reformulation or repackaging.

(C) Monsanto Company 1987

(TM) Trademark of Monsanto Company, U.S.A., Proposed Registered User: LATER CHEMICALS LTD.

897.18-000.11

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))