

93.03.13

PROFESSIONAL/PROFESSIONNEL CONTROL*

GENERAL PURPOSE Disinfectant
CLEANER/Odor Counteractant

NETTOYANT/désinfectant
neutralisant d'odeurs GENERAL

COMMERCIAL

CAUTION/ATTENTION

CORROSIVE/CORROSIF

READ THE LABEL BEFORE USING/LIRE L'ETIQUETTE AVANT L'EMPLOI

REGISTRATION NO./NO. D'ENREGISTREMENT 22869
PEST CONTROL PRODUCTS ACT/LOI SUR LES PRODUITS ANTIPARASITAIRES

DIN 02011727

GUARANTEE/GARANTIE:

N-Alkyl (5% C12, 60% C14, 30% C16 5% C18)
dimethyl benzyl ammonium chloride.....2.25%

N-Alkyl (68% C12, 32% C14)
dimethyl ethyl benzyl ammonium chloride.....2.25%

Chlorure N-Alkyl (5% C12, 60% C14, 30% C16, 5% C18)
dimethyl benzyl ammonium.....2.25%

Chlorure N-Alkyl (68% C12, 32% C14)
dimethyl ethyl benzyl ammonium.....2.25%

NET CONTENTS/CONTENU NET

4 L

LOT #

*TM Reg'd
COLGATE-PALMOLIVE CANADA INC.
Toronto, Canada M4G 2H6
Made in Canada/Fabriqu  au Canada

FOR INDUSTRIAL AND HOSPITAL USE:

DIRECTIONS: DISINFECTION: of hard surfaces, industrial floors, walls and food processing equipment, table tops, counters, display racks in meat and poultry processing and packing plants, supermarket meat rooms, kitchens and other food processing areas, add 1 part per 62 parts water. Allow solution to wet all surfaces thoroughly and remain wet for 10 minutes.

To disinfect walls, floors, table tops and counters in patient, operating or examining rooms in hospitals or nursing homes etc., add 1 part per 62 parts water. Allow solution to wet all surfaces thoroughly and remain wet for 10 minutes.

To disinfect toilet bowls, flush toilet, add 70 mL of disinfectant directly to bowl water. Swab completely making sure to get under rim. Let stand 10 minutes, flush. For heavily soiled surfaces, a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

Mildewstat: To control mold and mildew on pre-cleaned, hard, non-porous surfaces, add 1 part to 62 parts water. Wet surfaces completely. Wet surfaces completely. Let air dry. Repeat application at weekly intervals or when mildew growth reappears.

Sanitizing: To sanitize pre-cleaned, rinsed non-porous food contact surfaces, prepare 200 ppm active QUAT solution by adding 1 part to 223 parts water. Allow solution to contact surface for at least 60 seconds. Prepare fresh solution for each use.

Efficacy: At 1 part to 62 parts water, this product exhibits effective disinfectant activity against: *Pseudomonas aeruginosa* PRD-10, *Escherichia coli*, *Klebsiella pneumoniae*, *Salmonella choleraesuis*, *Streptococcus faecalis*, *Staphylococcus aureus*, *Enterobacter aerogenes*. At this level the product is also fungicidal against the pathogenic fungi, *Trichophyton mentagrophytes*.

Efficacy tests have demonstrated that this product is an effective bactericide, fungicide and virucide in the presence of organic soil (5% blood serum). Control General Purpose Disinfectant Cleaner/Odor Counteractant is an effective sanitizer when diluted with water up to 250 ppm hardness (CaCO₃).

Virucidal Activity: When used on environmental hard surfaces at 1 part per 62 parts water, exhibits effective virucidal activity against Influenza A-2 Asian, Herpes Simplex, Adeno virus type 5 and Vaccinia virus.

Precaution: KEEP OUT OF REACH OF CHILDREN. Causes eye and skin damage. Do not get in eyes, on skin or clothing. Harmful if swallowed. Wear glasses or face shield and rubber gloves when handling. Avoid contamination of food. When disinfecting surfaces coming in direct contact with food, rinse thoroughly with potable water. Do not store in food processing or food storage areas.

Contains: Surfactants, carbonate, sequestrant and dye.

First Aid Instructions: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, contact a physician. Remove and wash all contaminated clothing before re-use. If swallowed, drink milk, egg whites, gelatin solution or if none of these are available, drink large quantities of water. Call a physician immediately.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial

- requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.
 5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))