Triple C Chemical Biocide 599

LIQUID MICROBICIDE

INDUSTRIAL

READ THE LABEL BEFORE USING

GUARANTEE:
Potassium N-methyldithiocarbamate.......6.8% (by weight)
Disodium cyanodithioimidocarbonate......4.9% (by weight)

REGISTRATION NO: 22636
PEST CONTROL PRODUCTS ACT

NET CONTENTS: liters / kilograms

DANGER
POISON   CORROSIVE

DONOVAN CHEMICALS LIMITED
125 Expansion Avenue
Grand View Industrial Park
St-John, N.B. E2L 3X8

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Keep out of lakes, streams or
ponds. Do not contaminate water, food, or feed by storage or
disposal.

NOTICE TO USER:

This control product is to be used only in accordance with the
directions on this label. It is an offense under the Pest
Control Products Act to use a control product under unsafe
conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the
label and subject thereto, the buyer assumes the risk to persons
or property arising from the use or handling of this product and
accepts the product on that condition.

BROAD SPECTRUM LIQUID MICROBICIDE
FOR THE CONTROL OF ALGAE, BACTERIA AND FUNGI

*NON FOAMING

                      DIRECTIONS FOR USE

1) Cooling Tower Systems: Prior to use in water cooling towers,
systems should be cleaned to remove organic, inorganic and
microbiological deposits. An initial slug addition of 375 to
750 mL per 10,000 liters of water should then be added to the
sump of the cooling water towers. Repeat the initial dosage
until control is evident. Subsequent slug additions of 150 to
750 mL per 10,000 liters of water should be added every 2 to 5
days or as needed. The frequency of addition will depend on the
relative amount of bleedoff and the severity of the
microbiological problem.

                        PRECAUTION
                KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contact with eyes, skin, clothing
and the contamination of food. Wear safety glasses (goggles),
rubber gloves and body-protective clothing. Refer to the
Material Safety Data Sheet.

                        FIRST AID

Eye exposure: Flush with clean, cool water for at least 15
minutes or longer till irritation subsides. See a physician if
irritation occurs.

Skin exposure: Wash with a mild soap and water. See a physician
if irritation occurs. Remove and wash contaminated clothing
(including shoes) before reuse.

Inhalation: Use proper respiratory protection to immediately
remove the affected person from exposure. Administer artificial
respiration if breathing has stopped. Keep at rest. Get prompt
medical attention.

Ingestion: DO NOT INDUCE VOMITING: Rinse mouth with copious
amounts of water or milk, first. Irrigate the esophagus and
dilute stomach contents by slowly giving one (1) to two (2)
glasses of water or milk. Avoid giving alcohol or alcohol
related products. In cases where the individual is
semi-comatose, comatose or convulsing, DO NOT GIVE FLUIDS BY
MOUTH. In all cases, seek immediate medical assistance.

TOXICOLOGICAL INFORMATION:

Note to physician: Probable mucosal damage following ingestion
may contraindicate gastric lavage.

DISPOSAL:

1.   Rinse the emptied container thoroughly and add the rinsings

to the treatment site.
2.   Follow provincial instructions for any required additional
      cleaning of the container prior to its disposal or
      reconditioning.
3.   Dispose of the container in accordance with provincial
      requirements.
4.   For information on the disposal of unused, unwanted product
      and the cleanup of spills, contact the regional office of
      Environment Canada.
5.   For small spills, recover free liquid. Soak up residue with
      solids absorbant. DO NOT FLUSH INTO SURFACE STREAMS.
      INFORM ENVIRONMENT CANADA AS IN #4.

        ****

+))