

1997/2002

D4

SANITIZER

For hospital and institutional use only

COMMERCIAL

GUARANTEE:

Alkyl (C<sub>14</sub>, 50%; C<sub>12</sub>, 40%; C<sub>16</sub>, 10%)  
dimethyl benzyl  
ammonium chloride 3.000%  
Octyl decyl dimethyl ammonium chloride 2.250%  
Didecyl dimethyl ammonium chloride 1.350%  
Dioctyl dimethyl ammonium chloride 0.900%

CAUTION

CORROSIVE

READ THE LABEL BEFORE USING

REGISTRATION NO. 20834  
PEST CONTROL PRODUCTS ACT

NET CONTENTS: 2L

COR 19

Diversey Lever  
2645 Royal Windsor Drive  
Mississauga, Ontario  
L5J 1L1

SANITIZING IN HOSPITALS, NURSING HOMES AND OTHER INSTITUTIONS:  
For floors, walls, countertops, bathing areas, lavatories,  
bedframes, tables, chairs, garbage pails and other non-porous  
surfaces.

Add 2mL D4 to 1 litre water. Apply to previously cleaned hard  
surfaces.

SANITIZING OF FOOD PROCESSING EQUIPMENT AND OTHER HARD SURFACES  
IN FOOD CONTACT LOCATIONS IN HOSPITALS AND INSTITUTIONS.

Wash and rinse all articles thoroughly, then apply a solution of  
2mL D4 in 1 litre of water (150 ppm active). Surfaces should  
remain wet for at least one minute followed by adequate draining

and air drying. Fresh solution should be prepared daily or when used solution becomes visibly dirty. For mechanical application, used solution may not be reused for sanitizing applications.

Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by cloth, brush or mechanical spray device. No potable water rinse is required.

Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in 2mL/L solution of D4. No potable water rinse is required.

To use the Automatic Dosing Cap (20mL per dose) to obtain a 150 ppm solution.

1. Install automatic dosing cap.
2. Invert container and pour 1 dose into pail containing 10L of water. Hold completely inverted for 5 seconds to refill dosing cap.

PRECAUTIONARY STATEMENTS:

KEEP OUT OF REACH FROM CHILDREN.

DANGER: Corrosive to eyes. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or poison control centre immediately.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DISPOSAL: 1. Rinse the emptied container thoroughly and add the rinsings to the treatment site. 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. 3. Make the empty container unsuitable for further use. 4. Dispose of the container in accordance with provincial requirements. 5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))