96.09.23

ORBIT

CITRO-D

LIQUID CLEANER - DISINFECTANT - DEODORIZER FUNGICIDE - VIRUCIDE

PHENOL COEFFICIENTS

Staphylococcus aureus (ATCC 6538)..... 42 Salmonella typhosa (ATCC 6539)..... 27

GUARANTEE:

n-Alkyl (5% C12; 60% C14; 30% C16; 5% C18) dimethyl benzyl ammonium chlorides..... 2.25% n-Alkyl (68% C12; 32% C14) dimethyl ethylbenzyl ammonium chlorides..... 2.25%

REGISTRATION NO. 16400

PEST CONTROL PRODUCTS ACT

COMMERCIAL/HOSPITAL

READ THE LABEL BEFORE USING

CAUTION

CORROSIVE

D.I.N. 507547

NET CONTENTS

4 L 20 L 210 L

LOT NO.

ORBIT CHEMICAL SPECIALTIES 4500 Sheppard Ave. East, Unit 1 Scarborough, Ontario M1S 3R6

USE DIRECTIONS

This industrial and institutional cleaner-disinfectantdeodorizer-fungicide-virucide, when used according to directions, is effective against Staphylococcus aureus - Salmonella cholerasuis - Pseudomonas aeruginosa - Salmonella typhosa pathogenic fungi such as Trichophyton interdigitale - Escherichia coli - Brevibacterium ammoniagenes - Klebsiella pneumoniae and Influenza A2 - Herpes simplex - Adenovirus type 2 - and Vaccinia viruses.

Recommended for use where housekeeping is of prime importance in controlling pathogenic bacteria on environmental surfaces such as floors, walls, tables, chairs, counters, sinks tops, garbage pails, rest rooms, bed pans, bed frames and other hard surfaces. Very effective for controlling odours caused by the growth of bacteria, mold, mildew and fungi.

DISINFECTION: Use 1 part per 64 parts water (16 mL/L). Apply with a cloth or mop. Rinse and allow to dry. DO NOT MIX WITH OTHER CLEANERS. Allow surfaces to remain wet for 10 minutes, then remove excess liquid. Prepare a fresh solution for each use.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DISPOSAL:

- 1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

PRECAUTIONS

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. May cause eye damage or skin irritation. Do not get concentrate in eyes or on skin. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, GET MEDICAL ATTENTION. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. CONTACT A PHYSICIAN OR POISON CONTROL CENTRE IMMEDIATELY.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))