BETZ SLIMICIDE C-75P ANTIMICROBIAL AGENT INDUSTRIAL

WARNING

POISON CORROSIVE

READ THE LABEL BEFORE USING

GUARANTEE

Contents:	Briquettes
1-bromo-3-chloro-5,5-dimethylhydantoin60.09	
1,3-dichloro-5,5-dimethylhydar	ntoin27.4 ⁹
1,3-dichloro-5-ethyl-5-methyl	ıvdantoin

REGISTRATION NO. 21971
PEST CONTROL PRODUCTS ACT

NET CONTENTS: 20 L

Betz Inc. 3026 Solandt Kanata, Ontario K2K 2A5

PRECAUTIONS: Harmful if swallowed. Highly corrosive. Causes eye and skin damage. Irritating to nose and throat. Avoid breathing dust. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves, chemical goggles and face shield when handling. Immediately remove and wash contaminated clothing. Wash thoroughly after handling.

FIRST AID: In case of skin contact, wash immediately with soap and plenty of water. Immediately contact physician.

In case of contact with eyes, flush eyes immediately with plenty of water for at least 15 minutes. Immediately contact a physician.

In case of inhalation, remove person to fresh air. If irritation persists, contact physician. Never give anything by mouth to an unconscious person.

In case of ingestion, feed gruel, cooked cereal or bread soaked in milk followed by olive oil. Immediately contact physician or poison control centre.

A Material Safety Data Sheet containing more detailed information relative to this product is available upon request.

ECOLOGICAL: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public water. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS: Strong oxidizing agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible fire and explosion. In cases of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water if necessary.

DISPOSAL:

- 1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

DIRECTIONS FOR USE

RECIRCULATING COOLING WATER SYSTEMS: Betz Slimicide C-75P aids in the control of bacterial, fungal and algal slimes in evaporate condensers, heat exchange water towers, influent systems such as flow through filters & lagoons, industrial water scrubbing

systems & brewery pasteurizers. Slimicide C-75P may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

Do not use in potable water systems. Do not allow water systems. Do not allow water in treated systems to come into contact with beverage. Wash beverage containers with potable water at the pasteurizer discharge end.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

FOR CONTROL OF BACTERIA, FUNGI AND ALGAE

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled add Slimicide C-75P at rate of 0.12 to 1.2 kg per 10,000 litres of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add Slimicide C-75P at the rate of 0.12 to 0.9 kg per 10,000 litres of water in the system daily, every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add Slimicide C-75P at the rate of 0.12 to 1.2 kg per 10,000 litres of water in the system. Continue until control is achieved.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of Slimicide C-75P at the rate 0.12 to 0.9 kg per 10,000 litres of water in the system.

AIR WASHERS: For use only in industrial air washer systems that maintain effective mist eliminating components. Betz Slimicide C-75P controls slime forming bacteria, fungi and algae in industrial air washer systems. Add Slimicide C-75P at the rate of 0.12 to 1.2kg per 10,000 litres of water in the system, depending upon the severity of the contamination. Control the application by measuring the free chlorine residual in the treated water. There is no need to exceed 1.0 ppm as free chlorine.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add Slimicide C-75P to the air washer pump or chill water pump to insure uniform mixing. Add Slimicide C-75P at the rate of 0.12 to 1.2 kg per 10,000 litres of water.

SUBSEQUENT DOSE: When microbial control is evident, add Slimicide C-75P at the rate of 0.12 to 0.72 kg per 10,000 litres of water.

CONTINUOUS FEEDING METHOD

INITIAL DOSE: When the system is noticeably fouled, add Slimicide C-75P to the air washer pump or chill water pump to insure uniform mixing. Add Slimicide C-75P at the rate of 0.12 to 1.2 kg per 10,000 litres of water.

SUBSEQUENT DOSE: When microbial control is evident, add Slimicide C-75P at the rate of 0.12 to 0.72 kg per 10,000 litres.

FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from BETZ.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

KEEP CONTAINER TIGHTLY CLOSED, PROTECT FROM FREEZING
STORE IN A DRY PLACE, DO NOT STORE AT ELEVATED TEMPERATURES
OXIDIZER, SOLID, CORROSIVE, N.O.S.(BROMOCHLORODIMETHYL
HYDANTOIN & DICHLORODIMETHYL HYDANTOIN) NA 9191

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.