

93.12.08

CANPLUS 411

AGRICULTURAL

A Spray tank Adjuvant

1. For Use With Atrazine Formulations For Improved Atrazine Performance On Emerged Broadleaf Weeds and Annual Grasses
2. For use with Assure Herbicide (see the Assure label for recommended use rates and tank mix directions).

READ THE LABEL BEFORE USING - KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO. 17111 Pest Control Products Act

GUARANTEE Paraffin base petroleum oil 83%
Surfactant blend 17%

Net Contents: 20 litres

ICI SURFACTANTS
P.O.Box 1085
Brantford, Ontario
N3T 5T2

PRECAUTIONS COMBUSTIBLE

1. Keep out of reach of children
2. Do not take internally
3. Keep container tightly closed and do not allow water to be introduced to contents of this container.

GENERAL INFORMATION: CANPLUS 411 is a blend of a surfactant and a superior type agricultural spray oil designed for use with Atrazine sprays.

GENERAL INFORMATION FOR ATRAZINE USE

PRECAUTIONS: Care should be exercised when CANPLUS 411 is applied to new varieties or highly inbred lines of corn not previously treated with spray tank adjuvants. It is recommended that small test areas be treated before undertaking large scale application. Care is recommended when sprays are applied under

very hot, humid conditions; cold weather or under circumstances when Atrazine tends to be more active.

The risk of damage to other vegetation from spray drift is increased with the use of Atrazine in oil-water emulsions. Do not apply or allow to drift to areas occupied by plants, other than those being sprayed, or unprotected humans and animals.

DIRECTIONS FOR USE WITH ATRAZINE

MIXING; Fill spray tank 1/2 full, add the desired amount of Atrazine and continue filling. Add CANPLUS 411. After filling continue agitation.

CORN: (Field or Sweet) Broadcast or overall post-emergence spray with Atrazine and CANPLUS 411. Apply to emerged broadleaf weeds and grasses before they are 4 cm. in height and before 21 days from date of planting. Add 1.25 litres of CANPLUS 411 per 100 litres of water.

Do not add hormone type weedkillers, such as 2,4-D, 1,4-DB, MCPA, MCPB, Dicamba or other herbicides.

Do not apply after the corn is 15 cm high.

Apply the amount of Atrazine recommended on the label of the atrazine product.

DIRECTIONS FOR USE WITH ASSURE

Apply the necessary rate of ASSURE with CANPLUS 411 at 5-10 litres per 1000 litres of spray volume. See the ASSURE label for recommended use rates and tank mix directions. Follow all label precautions.

Mixing instructions with ASSURE

1. Make sure that spray tank is thoroughly cleaned before mixing.
2. Fill tank half full with water. Keep agitator running.
3. If tank mixing ASSURE with MUSTER (2) or BUCTRIL M (3), add the required amount of MUSTER or BUCTRIL M to the tank with the agitator running. Ensure that the herbicide is completely mixed before proceeding to the next mixing step.
4. Add the required amount of ASSURE to the half-full tank with the agitator running.
5. After the ASSURE has been well mixed, SLOWLY add the required amount of CANPLUS 411 to the tank with the agitator running.
6. Add the rest of the required amount of water to the tank. Mix well before applying to the crop.

On repeat tank loads, ensure that the amount of spray solution left in the tank from the previous load is less than 10% of

volume about to be mixed.

FIRST AID: If swallowed, DO NOT induce vomiting. This product contains a petroleum distillate. Get medical attention immediately or poison control centre.

If patient is unconscious, give air.

If on skin wash material off with plenty of soap and water. If redness, itching or a burning sensation develops, get medical attention. Wash contaminated clothing and decontaminate footwear before reuse.

If in eyes immediately flush with plenty of water for at least 15 minutes. If redness, itching or a burning sensation develops, have eyes examined and treated by medical personal.

If inhaled remove person to fresh air. If a cough or other respirator symptoms develop consult medical personal.

Never give anything by mouth to an unconscious person. Remove victim to a safe, uncontaminated area. If victim has ceased breathing, clear airway and start artificial respiration. Obtain medical attention. Take container or label or the product name and product registration number with you to emergency/hospital or physician or poison control centre.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the direction on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

CANPLUS 411 is a registered trademark of ICI Americas Inc. ICI Atkemix is a registered user.

(1) Registered trademark of E.I. du Pont de Nemours and Company.

- (2) Registered trademark of E.I. du Pont de Nemours and Company.
- (3) Registered trademark of Rhone-Poulenc Canada Inc.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))