92.06.22

## RELIABLE

RELIABLE DETERRENT 62 DISINFECTANT CLEANER Odor Counteractant - Fungicide - Virucide - Mildewstat

> CAUTION / ATTENTION CORROSIVE / CORROSIF

GUARANTEE / GARANTIEN-Alkyl (5% Cl2, 60% Cl4, 30% Cl6, 5% Cl8)dimethyl benzyl ammonium chlorides2.25%N-Alkyl (68% Cl2, 32% Cl4)dimethyl ethyl benzyl ammonium chloride2.25%Chlorure N-Alkyl (5% Cl2, 60% Cl4, 30% Cl6, 5% Cl8)dimethyl benzyl ammonium2.25%Chlorure N-Alkyl (68% Cl2, 32% Cl4)dimethyl ethyl benzyl ammonium2.25%

REGISTRATION NO. 22469 PEST CONTROL PRODUCTS ACT

NO. D'ENREGISTREMENT 22469 LOI SUR LES PRODUITS ANTIPARASITAIRES

COMMERCIAL

DIN 01969536

READ THE LABEL BEFORE USING LIRE L'ETIQUETTE AVANT L'EMPLOI

NET CONTENTS / CONTENU NET LITRES

RELIABLE MAINTENANCE PRODUCTS 345 Regent St., Sudbury, Ontario P3C 4E1 1-800-461-6254 MADE IN CANADA

FOR INDUSTRIAL AND HOSPITAL USE:

DIRECTIONS: DISINFECTION: of hard surfaces, industrial floors, walls and food processing equipment, table tops, counters, display racks in meat and poultry processing and packing plants, supermarket meat rooms, kitchens and other food processing areas, add 1 part per 62 parts water. Allow solution to wet all surfaces thoroughly and remain wet for 10 minutes. To disinfect walls, floors, table tops and counters in patient, operating or examining rooms in Hospitals or nursing homes etc., add 1 part per 62 parts water. Allow solution to wet all surfaces thoroughly and remain wet for 10 minutes. To disinfect toilet bowls, flush toilet, add 70 mL of disinfectant directly to bowl Swab completely making sure to get under rim. Let stand water. 10 minutes, flush. For heavily soiled surfaces a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

MILDEWSTAT: To control mold and mildew on pre-cleaned, hard, non-porous surfaces, add 1 part disinfectant to 62 parts water. Wet surfaces completely. Let air dry. Repeat application at weekly intervals or when mildew growth reappears.

SANITIZING: To sanitize pre-cleaned, rinsed non-porous food contact surfaces, prepare 200 ppm active QUAT solution by adding 1 part disinfectant to 223 parts water. Allow solution to contact surface for at least 60 seconds. Let air dry. Prepare fresh solution each use.

EFFICACY: At 1 part disinfectant to 62 parts water, this product exhibits effective disinfectant activity against: Pseudomonas aeruginosa PRD-10, Escherichia coli, Klebsiella pneumoniae, Salmonella choleraesuis, Streptococcus faecalis, Staphylococcus aureus. Enterobacter aerogenes. At this level the product is also fungicidal against the pathogenic fungi, Trichophyton mentagrophytes. Efficacy tests have demonstrated that this product is an effective bactericide, fungicide and virucide in the presence of organic soil (5% blood serum). "Deterrent 62" is an effective sanitizer when diluted with water up to 250 ppm hardness (CaCO3).

VIRUCIDAL ACTIVITY: When used on environmental hard surfaces at

1 part per 62 parts water, "Deterrent 62" exhibits effective virucidal activity against Influenza A-2 Asian, Herpes Simplex, Adeno virus type 5 and Vaccinia virus.

PRECAUTION: KEEP OUT OF REACH OF CHILDREN. Causes eye and skin damage. Do not get in eyes, on skin or clothing. Harmful if swallowed. Wear glasses or face shield and rubber gloves when handling. Avoid contamination of food. When disinfecting surfaces coming in direct contact with food, rinse thoroughly with potable water. Do not store in food processing or food storage areas.

CONTAINS: Surfactants, carbonate, sequestrant fragrance and dye.

FIRST AID INSTRUCTIONS: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, contact a physician. Remove and wash all contaminated clothing before re-use. If swallowed, drink milk, egg whites, gelatin solution or if none of these are available, drink large quantities of water. Call a physician immediately.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL:

- 1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
- Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
- 3. Dispose of the container in accordance with provincial requirements.
- 4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.
- 5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

## 

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))