

14-SEP-1998

NEW LOCK-N-SPRAY SYSTEM

GREEN CROSS

BUG-B-GON LOCK-N-SPRAY FOR LAWNS AND GARDENS

DOMESTIC

INSECTICIDE

CONTROLS LISTED INSECTS ON LAWNS, TREES, SHRUBS, FLOWERS,
VEGETABLES AND FRUITS.

NET CONTENTS: 1 L
CONCENTRATED: COVERS UP TO 330 SQ. METRES (3500 SQ. FT.)

GUARANTEE:
Diazinon 124 g/L

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

REG NO.: 25267
P.C.P. ACT

MONEY BACK GUARANTEE

The Solaris Group
A Unit of Monsanto Canada Inc.
2233 Argentia Road
Mississauga, Ontario
L5N 2X7

DANGER POISON

BUG-B-GON LOCK-N-SPRAY FOR LAWNS AND GARDENS:

Controls over 20 kinds of lawn or garden insects -
soil/chewing/mining and sucking insects, such as white grubs,

leatherjackets, chinch bugs, aphids, mites and leafhoppers.

LOCK-N-SPRAY™ SYSTEM:

Mixes product automatically and accurately - No measuring or mixing required.

Locking closure in container prevents spills or leaks.

Simply connect sprayer to hose; attach and lock container to sprayer, turn on water and spray.

Container automatically reseals itself when disconnected from hose.

LABELLED DIAGRAMS

DIRECTIONS FOR LOCK-N-SPRAY™ SYSTEM:

To use the LOCK-N-SPRAY™ System:

1. With tap turned off, connect sprayer to garden hose.
(Diagram)
2. Peel off sticker from top of LOCK-N-SPRAY container.
3. With front label facing you, attach container to sprayer:
(Diagram)
 - (i) Push up to seal container firmly against sprayer.
 - (ii) Twist container to "LOCK" position.
4. Turn on water.
5. Adjust sprayer nozzle: (Diagram)
 - (i) Rotate nozzle down for soil and lawn applications.
 - (ii) Rotate nozzle up for shrub and tree applications.
 - (iii) Remove nozzle for a 20-25 foot jet spray (5-8 meters).
6. Squeeze (colour) trigger to begin spraying, release trigger to stop. (Follow directions in tables for the area/insect you are targeting.)

7. When finished, turn the container to unlock and remove from sprayer.
8. Flush sprayer with water, squeezing and releasing the trigger in short bursts (2 or 3 times).
9. Turn off water, squeeze trigger to release pressure. Disconnect sprayer from hose. Container automatically reseals itself.

FOR USE ON:	TO CONTROL:
VEGETABLES: (Days to wait between application and harvest in brackets.)	
Tomatoes (1) Broccoli, Cauliflower, Peppers (5) Cabbage, Snapbeans, Cucumber, (7) Lettuce, Onions, Parsnips, Carrots, Celery, Radishes, Spinach (10) Potatoes, Beets (14)	Aphids, Carrot rust fly, Caterpillars, Colorado potato beetle, Flea beetle, Fruit fly, Leaf hopper, Leafminers, Mites (clover mites), Thrips
FRUITS: (Days to wait between application and harvest in brackets.)	
Strawberries (5) Apricots, Cherries, Plums (10) Apples, Pears (14) Grapes (16) Peaches (20)	Aphids, Caterpillars, Fruit fly, Leaf hopper, Leafminers, Mealy bug, Mites (clover mites), Scale insects
FLOWERS, TREES AND SHRUBS:	
Arborvitae, Boxwood Ivy, Roses, Azalea, Carnations, Oak, Yew, Birch, Chrysanthemums, Juniper, Crabapples, Holly, Pines	Aphids, Caterpillars, Leafminers, Flea beetle, Mealy bug, Rose chafers, European pine shoot moths, Fruit fly, Mites (clover mites), Scale insects, Leaf hoppers, Thrips
Spray plants thoroughly when pest first appears. Repeat as necessary.	

FOR USE ON LAWNS TO CONTROL:	CONTAINER COVERS:	DIRECTIONS:
Ants, Sod webworms	170-340 sq. metres (1,800-3,700 sq. ft.)	Wet grass thoroughly before treatment.
Chinch bugs	275 sq. metres (3,000 sq. ft.)	Wet grass thoroughly before treatment. Repeat in 7-10 days if necessary.
White grubs	200 sq. metres (2,200 sq. ft.)	Water grass thoroughly after application or apply during rain. Apply anytime between the first of April and the end of October when grubs are close to the surface (top 5 cm of soil) (2 inches).
Earwigs	330 sq. metres (3,500 sq. ft.)	Apply on infested areas.
Leatherjackets (crane flies)	330 sq. metres (3,500 sq. ft.)	Apply to short grass from October to March. Repeat in 7 - 10 days, if necessary.
KEEP CHILDREN AND PETS OFF TREATED AREA FOR 24 HOURS OR UNTIL DRY.		

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN AND PETS. Do not allow others such as children and pets on treatment area during application or to re-enter treated areas until spray has dried. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin, clothing and avoid inhalation of spray mist. Wear rubber gloves when handling and measuring. Wash hands thoroughly after handling and before eating, drinking, etc. Do

not contaminate food, food utensils, feed or water. Do not use in home. Do not store or use near heat or flame. Toxic to bees, birds, fish and wildlife, including waterfowl.

FIRST AID:

This product contains petroleum distillate. If swallowed, do not induce vomiting. Obtain medical attention immediately, taking the pesticide container with you. If on skin, remove contaminated clothing and wash thoroughly with soap and water. If in eyes, flush with water for 5-10 minutes and obtain medical attention. If inhaled, move from contaminated area to fresh air and apply artificial respiration.

TOXICOLOGICAL INFORMATION:

Diazinon is an organophosphorous pesticide and, as such, is a cholinesterase inhibitor. Atropine is antidotal.

DISPOSAL:

Do not re-use empty container. Wrap and dispose of empty container in garbage.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Product Use Information: 1-800-668-5669
Registered trademark of Monsanto Company, Monsanto Canada Inc. Licensee
Trademark applied for

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct,

and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))