

95/2000

METASYSTOX-R (R)

50% CONCENTRATE

FOR MANUFACTURING PURPOSES ONLY

GUARANTEE:

S-[2-(Ethylsulfanyl)ethyl] O,O - dimethyl
phosphorothioate 50%

REGISTRATION NO. 20125 PEST CONTROL PRODUCTS ACT

WARNING - FLAMMABLE!

DANGER POISON

KEEP AWAY FROM HEAT AND OPEN FLAME

STOP - READ THE LABEL BEFORE USE

WARNING

KEEP OUT OF REACH OF CHILDREN

(See side panel for additional warning statements.)

NET CONTENTS 195 KILOGRAMS

IMPORTED BY

Chemagro Limited
256 Britannia Road East
Mississauga, Ontario, Canada L4Z 1S6

WARNING/PRECAUTIONS

May be fatal if swallowed, inhaled, or absorbed through the skin. Do not get in eyes or on skin. Wear clean, waterproof protective clothing (overalls, rubber boots, cap, etc.). Destroy and replace gloves frequently. Bathe immediately after work and change all clothing. Wash contaminated clothing thoroughly with soap and hot water before reuse. Do not contaminate feed or food. This product is toxic to fish, birds, and other wildlife. Do not contaminate water by cleaning of equipment, or disposal of wastes.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, vomiting should be induced. Administer water freely and induce vomiting by giving one dose (1/2 oz. or 15 mL) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Professional medical assistance should be secured immediately. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

TO PHYSICIAN:

ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

In case of contact, immediately remove clothing and wash thoroughly with soap and warm water.

In case of spillage, cover with an absorbent such as soda ash, clay, or sawdust. Sweep up and bury. Wash area thoroughly with strong lye solution.

DIRECTIONS FOR USE

To be used only in the manufacture of a product which is registered under the Pest Control Products Act. Read technical bulletin for formulation details.

DISPOSAL

DO NOT REUSE EMPTY DRUM - Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies. Rinse the emptied container thoroughly and add the rinsings to the formulating mixture in the tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.

Make the empty container unsuitable for further use and dispose in accordance with provincial requirements.

For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Conservation & Protection, Environment Canada.

METASYSTOX is a Reg. TM of Bayer AG, Germany.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))