

07-MAR-2002

**Later's
Diazinon
Granules
Ready-to-use
Soil Insecticide for
Gardens**

Controls Cutworms and
Root Maggots

FOR USE WHEN SEEDING OR TRANSPLANTING VEGETABLES

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

DOMESTIC
REG. NO. 11436 P.C.P. ACT

GUARANTEE: Diazinon 5%

CAUTION POISON
500 g

~~Later Chemicals Ltd.
12080 Horseshoe Way
Richmond, B.C. V7A 4V5~~

Notification Change

Nu-Gro IP Inc
10 Craig Street
Brantford, ON N3R 7J1

DIRECTIONS:

Later's Diazinon Granules will protect seed and young transplants from soil insects that invade and destroy lawns and gardens. Use before seeding and transplanting. Work into top 15 cm of soil or sprinkle in furrows with seed.

10 g = 1 level tablespoon
1m = 1 long pace
10 m² = 5 m x 2 m

HOW TO USE:

VEGETABLES:

To control Cutworms, spread 80 grams over 10 m² of soil surface and work into top 8 - 15 cm of soil before seeding.

PLANT	INSECT	RATE
Broccoli, Brussels Sprouts, Cabbage, Cauliflower	Root Maggots	10 g per 10 m of row in furrow with seeds (or 3 grams per plant after transplanting)
Carrots Onions	Carrot Rust Fly Maggots Onion Maggots	10 g per 10 m of row in furrow with seeds.
Radishes	Root Maggots	20 g per 10 m of row
Turnips	Turnip Root Maggot	30 g per 10 m of row in furrow with seeds. Make a second application directly over row 2 weeks after thinning. Do not apply within 14 days of harvest.

FLOWERS:

INSECTS	RATE
Ants, Chinchbugs, Earwigs, Fleas, Millipedes, Sowbugs, Sod Webworm, Ticks	Apply 200 g per 10 m ² . Repeat as necessary.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Keep children and pets off treated areas, until watered in and dry. May be fatal if swallowed. May be absorbed through the skin. Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid

contamination of feeds and foodstuffs.

ENVIRONMENTAL HAZARDS: This product is toxic to bees, fish and wildlife. Do not contaminate domestic or irrigation water supplies, lakes, ponds and streams.

FIRST AID: IF SWALLOWED, give 2 glasses of warm water to drink and induce vomiting by inserting finger or blunt object into mouth and touching the back of victim's throat. Contact a doctor or poison control centre immediately. Never give anything by mouth to an unconscious person. IF IN EYES, flush with water for 15 minutes and get medical attention. IF ON SKIN, wash with soap and water. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Atropine is antidotal. Use 1 - 2 mg every 15 - 20 minutes if necessary.

STORAGE: Keep product in original container. Store in a cool, dry place away from food.

DISPOSAL: Do not re-use empty container. Wrap container and discard in household garbage.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes any risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

INTERNET: www.laters.com

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))