

95.05.19

SANEX(R)
MR10 MUSHROOM HOUSE INSECTICIDE SOLUTION

COMMERCIAL

NET CONTENTS: 1 L (4 L) (10 L) (20 L)

GUARANTEE: Pyrethrins.....1.0%

READ LABEL BEFORE USING

Registration No. 16272
Pest Control Product Act

SANEX AGRO INC.
36 HEAD STREET, DUNDAS, ONT. L9H 3H3

MR-10 insecticide solution is a ready-to-use insecticide specially formulated for the control of Mushroom Flies (Phorid and Sciarid Flies) in mushroom houses.

DO NOT DILUTE

Fogging Mushroom Houses. Controls Sciarid and Phorid Flies. Preparation for use in mechanical or thermal foggers.

Close doors, windows and ventilators, treat when weather is calm and temperatures are between 24 and 27 deg Celsius, post warning signs and take precautions to prevent persons and animals from entering the area. Length of exposure should be 1.5 hours. After the exposure time, the area should be ventilated for at least 1 hour before entering.

Use MR-10 at the rate of 50 mL per 100 cubic metre of space in the mushroom house. This insecticide should be applied undiluted using thermal or mechanical (electric) fogger which will produce small dry particles. Large wet droplets may cause brown spotting and deformity of mushroom caps. (Example: Dyna-Fog 90, using dry setting, i.e. 1 through 4, other portable foggers, use "low" or "dry fog" setting). Keep fogger nozzle away from beds.

Do not allow fog to hit the mushroom beds within 3 metres from the end of the gun.

To prevent fly build-up during spawn run, fog twice weekly. Following with foggings, as required to maintain control up until harvest. Do not apply to crops within 1 day of harvest.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid contact with skin and avoid inhalation of fog or spray. Do not contaminate food or food processing equipment. Thoroughly wash with potable water all treated food preparation surfaces, and food processing equipment. Keep container closed and store away from heat sources. Prior to fogging, all possible sources of ignition should be extinguished in area to be treated.

FIRST AID

For external contact, wash with soap and water. If in eyes, flush with plenty of water. This product contains petroleum distillate. If swallowed do not induce vomiting. If patient is unconscious give him air. Get prompt medical attention.

DISPOSAL:

Empty contents thoroughly into the spray tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to person or property arising from the use or handling of this product and accepts the product on that condition.

(R)Registered trademark of Sanex Agro Inc.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))