

23-FEB-2005

**20-MAY-2005 Notification received of a label change. See below for this change.**

14-FEB-2008 Notification - Change in Registrant Name

WEEDEX Ready To Spray Herbicide

DOMESTIC

GUARANTEE:

2,4-D:	95 g/L
Mecoprop (d-isomer)	50 g/L
Dicamba	9 g/L

(All present as Dimethyl Amines)

REG. No. 27010 P.C.P. ACT.

READ THE LABEL BEFORE USING.

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 1 litre

~~WEED MASTER WESTERN INC.~~

~~8459 23 rd Ave N.E.~~

~~Calgary, Alberta~~

~~T1Y 7G9~~

Notification Change

~~Virterra Products Corporation~~ Teragro Inc.

~~RR #7, Site 7 Box 16~~

~~Calgary AB~~

~~T2P 2G7~~

P.O. Box 137

Chestermere AB T1X 1K8

**PROTECTIVE CLOTHING:** Wear long-sleeved shirt, long pants, socks, shoes and chemical-resistant (e.g. rubber) gloves.

**APPLICATION FREQUENCY:** For good turf/lawn management, normally two applications per year per treatment site are adequate. This does not include spot treatments.

**RE-ENTRY INTERVAL:** Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried.

**OPERATOR USE PRECAUTIONS:** Rinse gloves before removal. Wash hands before eating, drinking, using tobacco or using the toilet. If pesticide penetrates clothing, remove immediately; then wash thoroughly and put on clean clothing. Remove clothing, launder separately before reuse, and promptly, and thoroughly wash hands and exposed skin with soap and water, then shower. Reuse gloves for pesticide application only.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.** Do not apply to newly seeded lawns until after third mowing. Avoid contacting skin, eyes, and clothing. Do not store near seed, fertilizers, insecticides, or fungicides. Keep from freezing.

**WEEDS CONTROLLED:** Dandelion, Plantain, Chickweed, Clover, Bedstraw, Black Medick (Yellow Clover), English Daisy, Curled Dock, Heal-All, Ground Ivy (Creeping Charlie), Knotweed, Ragweed, Shepherd's-Purse, Poison Ivy, Devil's Paint Brush and Buttercup.

**NOTE:** 1 (square meter) m<sup>2</sup> = approx 10 (square feet) ft<sup>2</sup>

**DIRECTIONS FOR USE:** Apply Weedex using the hose-end applicator attached. 1 litre will treat 800 square metres (8,800 square feet) of lawn area.

**READ THE COMPLETE LABEL FOR APPLICATION INSTRUCTIONS AND PRECAUTIONS PRIOR TO USE.**

1. Shake container thoroughly, then attach to garden hose.
2. Ensure sprayer is in the "OFF" position. Turn water supply on at the source.
3. To apply product, turn the control valve clockwise to the "MIX" position.
4. For best results, hold sprayer and bottle level, and direct sprayer in a sweeping side-to-side movement. Spray the contents of bottle (1L of product) evenly over 800 m<sup>2</sup> of lawn.
5. When spraying is complete, turn the control valve to "OFF" position. Turn water off. Disconnect hose from applicator and store product in original container.

Avoid inhaling spray mist. Do not apply during long dry periods. Do not apply when rain is expected. Do not use on Bent grass. Do not cut grass for several days after application. Do not water within 24 hours of application. Do not use clippings from a freshly sprayed lawn as mulch.

DO NOT APPLY THE SPRAY SOLUTION OR ALLOW SPRAY TO DRIFT ONTO DESIRABLE TREES, SHRUBS, VEGETABLE GARDENS OR FLOWERBEDS.

Apply in late spring or early fall when weeds are growing actively. Repeat applications may be required for some species.

**FIRST AID: IF IN EYES**, flush with water for 15 minutes and get medical attention. **IF ON SKIN**, wash thoroughly with soap and water. **IF SWALLOWED**, call poison control centre or get medical attention IMMEDIATELY. Take container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically.

**DISPOSAL:** Wrap empty container in newspaper and dispose of in household garbage. Do not reuse.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.