

29-JAN-1987

WIN FLYING INSECT KILLER I

PRESSURIZED SPRAY

COMMERCIAL

KILLS - FLIES, MOSQUITOES, BEES, WASPS,  
HORNETS, GNATS AND SPIDERS.

A CONCENTRATED INSECTICIDE FOR USE IN HOSPITALS,  
FOOD PROCESSING PLANTS, RESTAURANTS, HOTELS,  
COMMERCIAL AND INDUSTRIAL BUILDINGS, MILK PARLOURS,  
MILK HOUSES AND ANIMAL QUARTERS.

GUARANTEE:

PYRETHRINS.....0.40%  
PIPERONYL BUTOXIDE, TECHNICAL..... 2.00%

REGISTRATION NO. 19758 PEST CONTROL PRODUCTS ACT

NET CONTENTS        GRAMS

READ LABEL CAREFULLY BEFORE USING

DANGER EXTREMELY FLAMMABLE EXPLOSIVE

WIN CHEMICALS & EQUIPMENT LIMITED  
1295 EGLINTON AVENUE EAST, UNIT 11  
MISSISSAUGA, ONTARIO L4W 3E6

DIRECTIONS:

Hold Can upright while spraying. Flying insects -- Flies, Mosquitoes, Wasps, Gnats and Flying Moths. For use in Food Processing Plants (Bakeries, Bottling Plants, Canneries, Flour Mills), Hospitals, Hotels, Motels, Restaurants. Close doors and windows. Turn off all pilot lights and other sources of ignition. Apply a 6-10 second burst per 30 m<sup>3</sup> of space. Direct mist upwards in sweeping motion to all parts of the room, especially towards windows and other light sources.

Also direct mist into areas where insects are present. Keep spray at least 1 m from interior walls, fabrics and furniture. Whenever possible, keep doors and windows closed for 15 minutes after each treatment. Ensure proper ventilation after sealed areas have been treated and clean up dead insects.

In dwellings, remove or cover all food, beverages and utensils before spraying and wash all treated surfaces and rinse with potable water before using for food preparation.

Flying Insects in Dairy Barns, Beef Barns, Stables, Milking Parlours and Milking Rooms. Remove all animals from treatment area before using as a space spray. Direct spray upwards to all parts of the room especially towards windows and other light sources. Apply at a rate of 6-10 seconds per 30 m<sup>3</sup>. For best results, close all doors and windows during treatment and keep room closed for fifteen minutes before ventilating. Ventilate areas thoroughly for at least 30 minutes before animal re-entry. Cover milk and milking utensils to prevent contamination from spray and dead insects. Do not contaminate feed, food or water troughs with spray.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not remain in treated areas. Ensure proper ventilation after sealed areas have been treated. Avoid inhalation of spray. Avoid contact with skin and eyes. Wash after using. CONTENTS UNDER PRESSURE. Do not place in hot water or near radiators, stove or other sources of heat. Do not puncture or incinerate can or store at temperatures over 50°C. Do not spray into or near any open flame.

In food processing plants, food service establishments and meat packing plants, treat only when plant is not in operation. Remove all food, meat products and packaging materials from room before treatment. Cover all food processing and handling surfaces. All treated surfaces that may contact food or meat food products should be washed thoroughly with potable water after treatment and before re-use.

DISPOSAL: After use, depress valve to empty container thoroughly. Dispose of empty container according to municipal and provincial requirements. Do not puncture or incinerate can.

FIRST AID: If sprayed in eyes or on skin, flush with clean water. If irritation persists, obtain medical attention. If accidentally swallowed, obtain medical attention at once.

NOTICE TO USER: This Control Product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control under unsafe conditions.

LIMITATIONS OF WARRANTY: Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risks to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))