

02.01.18 Notification received of a change in company name. See below for new name.

25-AUG-2000

DOMESTIC

C-I-L

SOIL AND BULB DUST

INSECTICIDE-FUNGICIDE

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

Exposure to captan may produce long term health effects.  
To minimize exposure, follow directions outlined on this label.

GUARANTEE: captan 5% carbaryl 5%

REG. No. 14490 P.C.P. ACT

NET CONTENTS: 375 g

**Arvesta Corporation**

~~TOMEN AGRO, Inc.~~

100 First Street, Suite 1610  
San Francisco, CA 94105  
415-536-3480

Distributor:

TOMEN CANADA, Inc.

Toronto Dominion Center, Suite 3312  
Toronto, Ontario M5K 1K7  
Canada  
416-868-1103

Notification Change

C-I-L Soil and Bulb Dust controls bulb rot, damping-off and thrips.

#### PRECAUTIONS

Keep out of reach of children. Never handle material with bare hands. Use rubber gloves; do not use leather or cloth gloves. Wash hands, face and arms thoroughly after handling this product and before drinking, eating or smoking. Do not breath dust. When handling or applying, wear goggles and clothing that completely cover arms and legs to minimize exposure. Change contaminated clothing and wash thoroughly before re-use. If an accident occurs, remove contaminated clothing, and wash skin

thoroughly with soap and water. Wash clothing and gloves before re-use. Always work out of the wind when handling or applying dusts. Keep unprotected persons out of operating area or vicinity where there may be drift.

Keep children and pets away from treated area during application.

#### FIRST AID

In case of poisoning, call physician or contact a poison control centre.

If on skin, remove contaminated clothing and wash thoroughly with soap and water.

If in eyes, flush with water for 15 minutes and get medical aid.

If swallowed, give the patient one to two glasses of water and induce vomiting by giving one dose of syrup of ipecac. If patient does not vomit within 20 minutes, give a second dose. If syrup of ipecac is not available, induce vomiting by inserting a finger down the throat. Continue with water until vomit is clear. The patient should be lying down with head below the level of the feet. DO NOT TRY TO CAUSE VOMITING IF THE PATIENT IS UNCONSCIOUS OR IN A CONVULSIVE STATE.

#### DISPOSAL

Do not reuse empty container. Dispose of empty container with household garbage.

#### TOXICOLOGICAL INFORMATION

Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal. 2-PAM is of no value. Contact physician at a poison control centre.

#### DIRECTIONS FOR USE

3.5 g = 1 teaspoon

10.5 g = 1 tablespoon

Effectively controls exposed thrips, bulb rot and damping-off on bulbs, corms and tubers of Daffodils, Iris, Narcissus, Tulips, Gladioli, Begonias, and Dahlias.

STORAGE: Use 3.5 g for each 450 g of bulbs, corms or tubers. Place clean, dry bulbs, corms or tubers in a bag together with the required amount of dust and shake to obtain thorough

coverage.

PLANTING: In addition to above treatment, dust holes or trenches at the rate of 90 g per 10 m of row and work into soil to a depth of 8 cm or broadcast 45 g per 1 m<sup>2</sup> of soil area before planting and work into soil to a depth of 8 cm. For easy spreading, mix dust with a small quantity of dry soil or sand before using.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product, and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))