

85.12.31

NIAGARA

BLUESTONE
SUPERFINE

CODE 2197

NET WEIGHT
25 kg

SOLUBLE POWDER FUNGICIDE

CONTAINS--COPPER SULPHATE

AGRICULTURAL

GUARANTEE: COPPER(FROM COPPER SULPHATE) 25.2%

REGISTRATION NO. 15266
PEST CONTROL PRODUCTS ACT

CAUTION POISON

READ THE LABEL BEFORE USING

MAY & BAKER CANADA INC.
1274 PLAINS ROAD EAST
BURLINGTON, ONTARIO
L7S 1W6

DIRECTIONS FOR USE

GENERAL INFORMATION: Always apply Bordeaux Mixture as a dilute spray, never as a concentrate spray. Bordeaux Mixture is very corrosive to steel.

POTATOES: To control LATE BLIGHT, apply Bordeaux Mixture 10-5-1000 when the first disease symptoms are noticed (usually on the lower leaves which dry slowly after rain or dew). Apply 750-1000 L/ha of Bordeaux Mixture depending on the amount of foilage. Repeat applications at 7 to 10-day intervals until the potato vines are killed by frost or top-killer.

APPLE & PEAR: If FIRE BLIGHT is a moderate problem, Bordeaux Mixture 2-6-1000 may be used (provided Streptomycin was used after first blossoms opened) when half the blossoms have opened and the following weather conditions occur or are expected: temperature 18'C and rain fall, or 18'C plus relative humidity 60% or higher. Apply 3000 L/ha of dilute spray. If FIRE BLIGHT is a light problem, wait for temperature of 21'C and then use Bordeaux Mixture 2-6-1000 during the bloom period (often one treatment is sufficient) as long as Streptomycin is not used

afterwards. Apply 3000 L/ha of dilute spray.

PREPARING BORDEAUX MIXTURE: Amounts of ingredients required for the mixture.

	10-5-1000	2-6-1000
Bluestone Superfine	10 kg	2 kg
Hydrated Lime	5 kg	6 kg
Water	1000 L	1000 L

Add the BLUESTONE to the spray tank when partly filled with water and the mechanical agitator is running. Premix the Hydrated Lime in a pail in enough water to make a slurry. Pour the lime slurry through a 0.3 mm screen into the spray tank. Keep agitator running while spraying and allow 15 minutes of mixing before starting to spray.

COMPATIBILITY: Bordeaux Mixture is incompatible with all other insecticides, fungicides and pesticides except Lead Arsenate.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not inhale dust or spray mist. Avoid contact with skin and eyes. After handling, wash thoroughly with soap and water before eating, drinking or smoking. Do not contaminate ponds, lakes or streams. Avoid contamination of feed or food.

FIRST AID: If swallowed, induce vomiting by touching the back of the throat with a finger or blunt object: repeat until vomit fluid is clear. Bring patient to nearest hospital taking this labelled container with you. In case of skin contact, remove contaminated clothing and wash skin with soap and water. If in eyes, flush with plenty of water for 15 minutes and get medical attention.

STORAGE & DISPOSAL: Store in a cool, dry place away from food or feed. Burn empty bags; stay out of smoke.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management

Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))